



# Windward® | K-1115-R

72" x 42" alcove bath, right drain

## Features

- Oval basin creates a spacious bathing experience
- Spacious design accommodates up to two bathers
- Integral lumbar support and armrests offer extra comfort while bathing
- Integral flange helps prevent water from seeping behind wall and simplifies alcove installation



## Available Colors/Finishes

*Color tiles intended for reference only.*

0 White



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 21:06 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

CSA B45.5/IAPMO Z124  
ASTM E162  
ASTM E662

## Technical Information

*All product dimensions are nominal.*

|                        |                                  |
|------------------------|----------------------------------|
| Drain Location:        | Right                            |
| Drain Hole Diameter:   | 2-1/4" (57 mm)                   |
| Minimum Flat for Door: | 3-1/16" (78 mm)                  |
| Basin Area, Bottom:    | 55" x 23-1/4" (1397 mm x 591 mm) |
| Basin Area, Top:       | 64" x 32" (1626 mm x 813 mm)     |
| Water Depth:           | 15" (381 mm)                     |
| Water Capacity:        | 78.5 gal (297.2 L)               |
| Minimum Floor Load:    | 38 lbs/ft <sup>2</sup>           |
| Weight:                | 100 lbs (45.4 kg)                |

## Material

- Acrylic

## Required Products/Accessories

- K-T37392 Rotary-turn bath drain trim
  - K-T37391 Rotary-turn bath drain trim
- or
- K-78438 30" cable bath drain
  - K-37383 Rough-in cable bath drain, PVC, 30" cable with tubing

## Warranty

*See website for detailed warranty information.*

KOHLER® Plastic Baths and Shower Bases Lifetime Limited Warranty


## Recommended Products/Accessories

K-23726 Drain treatment  
K-23732 Tub & shower cleaner  
K-11677 Adjustable drain, 20-gauge brass, for 18-1/2" to 20-1/2" baths





No change in measurements if connected with drain illustrated. (K-11677)

 Recommended Faucet Location



Tile Flange Detail



## Installation

- Right drain
- Alcove

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.

If installing a rim-mount faucet, make sure there is no interference above or below the deck before drilling any holes.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-29-2026 21:06 - US-CA