


RAVELLO

LOUNGE HEATER



QUICK START GUIDE • THE EMBER • RAVELLO LOUNGE COLLECTION

Your first evening.

Una sera a Ravello — six steps, one sunset.

17:00	17:20	17:40	18:00	18:15	23:00
<i>Arrivo</i>	<i>La Manopola</i>	<i>Il Gas</i>	<i>La Prova</i>	<i>Accensione</i>	<i>Buonanotte</i>

About 15 minutes • by hand • no tools.

You'll need one AA battery and a 20 lb propane cylinder (not included). **READ YOUR OWNER'S MANUAL FIRST**


17:00

Arrivo

STEP 1

Unfold your Ember

- Stand it upright outdoors on firm, level, non-combustible ground: 3 ft clear on every side, 3 ft above the dome. Never under an awning, umbrella or branches.
- Open the access door partway, reach in and **lift the weather dome** straight up. The heat-exchange tube rises with it until it is fully exposed.
- **Turn the dome counter-clockwise** until it stops. That locks the tube at its working height.
- Fit the two thumb screws by hand: **M6×35 (AC2) in hole A**, the larger one, and **M6×12 (AC1) in hole B**. Snug, never over-tight.



17:20

*La**Manopola*

STEP 2

Knob and battery

- Open the access door fully. The control knob travels clipped inside the door: **press it onto the valve stem** until it seats firmly.
- Fit **one fresh 1.5 V AA battery** in the compartment beneath the control panel, + and – as marked. It lasts about a season.



1 × AA · 1.5 V


17:40

Il Gas

STEP 3

Connect the fuel

- Knob OFF, cylinder valve closed. Stand a standard **20 lb DOT-approved propane cylinder** upright in the compartment and secure it with the **fixing chain**.
- Thread the regulator onto the cylinder valve **clockwise, fully tight, by hand**. Keep the hose free of kinks, then close the access door.
- **Natural gas** models connect to a 3/4-inch supply line, installed by a licensed gas professional.



20 lb · chain

18:00*La Prova*

STEP 4

Test every connection


- Mix **1 part dish soap to 3 parts water**. With the knob OFF, open the cylinder valve slowly.
- Brush it on every connection: cylinder to regulator, regulator to hose, hose to valve. **Growing bubbles mean a leak:** close the valve, re-tighten, test again.
- Still bubbling? Don't use the heater; call us. Never test with a flame. Repeat at every cylinder change and each season's first use.

18:15*Accensione*

STEP 5

Light the Ember

- Knob OFF. Open the cylinder valve slowly, **one full turn counter-clockwise**.
- **Press and hold the knob in, turn it to LOW / IGNITE**, and keep holding for **30 seconds** while the igniter pulses. The burner lights and the emitter starts to glow.
- Release the knob and set your warmth. Within a minute the emitter glows bright red; the flame is mostly blue with small yellow tips.
- No flame after 30 seconds? Knob OFF, close the valve, **wait 5 minutes**, try again.

**23:00***Buonanotte*

STEP 6

Shut down

- **Press and turn the knob fully clockwise to OFF**. A slight pop as the flame goes out is normal.
- **Close the cylinder valve** fully clockwise.
- Let it cool for **45 minutes** before touching, moving or covering. Relighting a warm heater? Wait 5 minutes first.

SAFETY FIRST, ALWAYS

If you smell gas

1. Shut off the gas at the cylinder valve.
2. Extinguish any open flame.
3. If the odor continues, move away and call your gas supplier or fire department from a safe place.

OUTDOOR USE ONLY

Never use inside a home, garage, tent, vehicle or any enclosed space. Carbon monoxide can kill.

La Cura *care through the seasons*

THE FINISH

Once cool, a soft cloth with warm soapy water. No abrasive pads, solvents or pressure washers. Wax the powder coat twice a season, more often near the sea.

BURNER & HOSE

Each season, check the hose for wear and clear spiders and insects from the burner with a pipe cleaner and compressed air.

DOME & EMITTER

Keep the emitter screen and burner head dry. Clean carbon from the dome and emitter only when fully cool.

COVER & STORE

Store it upright under a Lava Heat cover. Disconnect the regulator and keep the cylinder upright outdoors, never in a garage or shed.

LIFETIME FRAME · 5 YEARS PARTS · 5 YEARS FINISH · 1 YEAR BURNER

Parts only; labor and freight not included. Full terms at lavaheat.com/warranty-and-product-care



WE'RE HERE TO HELP

customerservice@lavaheat.com · 310-559-1700

lavaheat.com/troubleshooting

Lava Heat Italia · 940 W. Washington Blvd., Los Angeles, CA
90015 · Est. 2001

*Buona
serata.*