










DS-CT004FF



A  φ7*40mm 56PCS	B  φ15*9.5mm 56PCS	C  φ8*30mm 40PCS	D  φ5*40mm 11PCS	E  φ3.5*12mm 12PCS	F  2PCS
G  4PCS	H  14PCS	I  I1 I2 1PC	J  67PCS	L  L1 L2 L3 L4 L5 2PCS	


1 1600*299*15mm 1PC	2 760*254*15mm 1PC	3 1564*281*12mm 1PC
4 138*281*12mm 1PC	5 138*281*12mm 1PC	6 80*138*12mm 2PCS
7 375*268*12mm 1PC	8 375*268*12mm 1PC	9 790*138*12mm 1PC
10 790*80*12mm 1PC	11 655*238*12mm 1PC	12 655*238*12mm 1PC

13




655*238*12mm 1PC

14




655*238*12mm 1PC

15




760*135*12mm 1PC

16




140*60*15mm 6PCS

17




2PCS

18




1PC

19




1PC

20




1PC

STEP 1




A × 11PCS

STEP 2





A × 8PCS

STEP 3





	A × 14PCS
---	-----------

STEP 4





	C × 4PCS
	B × 2PCS
	J × 2PCS

STEP 5




	B × 8PCS
	J × 8PCS

STEP 6




	B × 4PCS
	J × 4PCS



STEP 7



STEP 8






STEP 9





 A × 6PCS

STEP 10





 A × 14PCS

STEP 11




	B×	4PCS
	C×	2PCS
	J×	4PCS

STEP 12




	B×	4PCS
	C×	2PCS
	J×	4PCS

STEP 13




	B × 6PCS
	C × 6PCS
	J × 6PCS

STEP 14




	B × 6PCS
	C × 6PCS
	J × 6PCS

STEP 15




	H × 14PCS
---	-----------

STEP 16




	D × 8PCS
	C × 8PCS
	J × 8PCS
	F × 2PCS
	E × 8PCS

STEP 17




STEP 18

Remove the protective film from the hardware I1



STEP 19


Remove the protective
film from the
hardware I2





Stick I2 on the side of
No. 3 No. 7 No. 8 No. 10
No. 11 No. 12 No. 13 No. 14
No. 15

STEP 20


Stick 17 18 19 20 on the
side of No. 3 No. 7 No. 8
No. 10 No. 11 No. 12 No. 13
No. 14 No. 15



STEP 21



STEP 22



If the flexographic plate sags, use the bottom support iron sheet in Package G and the self-tapping screws in Package E. Find a suitable angle to fix it, which can prevent the flexographic plate from sagging

	G×	4PCS
	E×	4PCS