


ASSEMBLY INSTRUCTIONS

TH110204-Black



THIS INSTRUCTION BOOKLET CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.

HEAVY-DUTY UTILITY CART

SAFETY WARNINGS AND CAUTIONS

Review all instructions before assembling the cart.
Improper assembly can cause personal injury and/or property damage
Do not overload cart. See specifications for load capacity (Distributed evenly). Do not step into or on the cart, or use it as a toy

Specifications	
Load Capacity:	550 LBS
Upper Platform Size:	450mm x225mm x 805mm
Upper Platform Height:	745mm
Dimensions (LxWxH):	810mm x450mm x100mm
Net Weight:	29.7 LBS
Gross Weight:	34.1 LBS


ASSEMBLY

Tools required: Cross-point screwdriver, and rubber or wood mallet. Use the mallet to tap down the parts to ensure they are seated properly before fastening them with screws.

- 1. Turn upper platform upright (#2) and install handle (#1).**
- 2. Turn upper platform assembly upside down, and install legs (two left and two right, #4 and #5)**
- 3. Install lower platform (#3) and castors (#6, #7). Tighten all screws and hex nuts. (#8, #9, #10)**



Parts Breakdown		
Index No.	Description	Qty.
1	Handle	1
2	Upper Platform	1
3	Lower Platform	1
4	Left Leg	2
5	Right Leg	2
6	Brake Castor Assembly	2
7	Fixed Castor Assembly	2
8	Tapping Screw M6x24mm	12
9	Screw Bolt M8x33mm	16
10	Screw Bolt M8x42mm	4
11	Hex Nut M8	16
12	Wrench	1

1




Note: Only with this adapter can the controller be installed

2



4



3

