



Aquifer® | K-22321

Showerhead filter

Features

- Designed to work with showerheads to reduce chlorine and odor in water
- Reduces chlorine and odor, and controls scale
- Reduces skin dryness and irritation and is gentle on hair
- Attaches to most showerheads and shower arms with a simple threaded connection
- 4.0 gpm (15.1 lpm) maximum flow rate at 60 psi (4.14 bar)
- Filter media lasts up to 8,000 gallons (30,000 liters) or six months
- Recommended filter cartridge replacement every six months
- Intuitive filter replacement indicator
- Simple, elegant design to complement a variety of bathroom styles
- Includes one filter cartridge



Available Colors/Finishes

Color tiles intended for reference only.

- | | |
|----|------------------------|
| CP | Polished Chrome |
| BN | Vibrant Brushed Nickel |



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-30-2026 03:10 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

NSF/ANSI 177

Technical Information

All product dimensions are nominal.

Flow Rate

Shower/Rainhead Rated 4 gpm (15.1 l/min)

Maximum Flow:

Material

- Solid metal and acrylic construction
-

Required Products/Accessories

- K-22322 Showerhead replacement filter, two-pack
-

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-30-2026 03:10 - US-CA



Installation Notes

Install this product according to the installation instructions.

Replace filter cartridge every 6 months.

