



# Artifacts™ | K-21000-PFG

66-1/8" x 32-1/2" freestanding bath

## Features

- Freestanding design creates a striking focal point in your bathing area
- Integral lumbar support on both ends
- Safeguard® slip-resistant surface provides excellent traction underfoot
- Painted exterior in Fresh Green
- Coordinates with other products in the Artifacts collection



## Sustainability



## Available Colors/Finishes

*Color tiles intended for reference only.*

- 34 Fresh Green Exterior with Fresh Green Interior
- PFG-0 Fresh Green Exterior with White Interior



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-30-2026 05:34 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

ASME A112.19.1/CSA B45.2  
ASTM F462

## Warranty

*See website for detailed warranty information.*

KOHLER® Enameled Cast Iron Bath and Shower Base  
Lifetime Limited Warranty

## Technical Information

*All product dimensions are nominal.*

|                      |                                          |
|----------------------|------------------------------------------|
| Drain Location:      | Center                                   |
| Drain Hole Diameter: | 2-3/16" (56 mm)                          |
| Basin Area, Bottom:  | 48-15/16" x 24-3/4" (1243 mm x 629 mm)   |
| Basin Area, Top:     | 58-11/16" x 27-13/16" (1491 mm x 706 mm) |
| Water Depth:         | 14-3/8" (366 mm)                         |
| Water Capacity:      | 69 gal (261.2 L)                         |
| Minimum Floor Load:  | 90 lbs/ft²                               |
| Weight:              | 396.2 lbs (179.7 kg)                     |

## Material

- KOHLER® enameled cast iron


## Recommended Products/Accessories

K-23726 Drain treatment  
K-23725 Cast iron cleaner

## Required Products/Accessories

- K-7159 1-1/2" pop-up bath drain for above- and through-the-floor freestanding bath installations
- K-204 Ball-and-claw feet





## Installation

- Freestanding
- Requires K-7159 drain (sold separately)
- Requires K-204 ball-and-claw feet (sold separately)

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-30-2026 05:34 - US-CA