


## **Product Installation Instructions**








1	0		essories list	
			Two In One Screw (6x28mm)	66pcs +3pcs
2		Two In One Nut (10x12mm)		66pcs +3pcs
3	<b>Opposition</b>	Screw (6x25mm)		5pcs
4		Non-slip pads		5pcs
5			2pcs +1pcs	
6			2pcs +1pcs	
7		La	18pcs +3pcs	
8	ard ard		4pcs +1pcs 2pcs	
9			4pcs 2pcs	
10		Cabinet Door Hinge & Screw (3. 5x12mm)		16pcs +2pcs
11	To Marketon	Fixing clip & screw (3x16mm)		16pcs +4pcs
		AC/DC Adapter (12V==2.0A)		1pcs
12 x2	Anti Fall Hard	dware  ware  x2  (4x45mm)	1pcs	2


# Product structure decomposition



















































































### Step 39



If there is a large gap after the installation of the door, please twist the screw of the door hinge back halfway and move the door left and right.

31






#### User's Guide

Thank you for purchasing this product. To use this product, please plug it into a 12V DC power supply. Please use if the product works normally after connecting to power.

#### Introduction

The box is an intelligent controller. It has 1 USB port and 1 type-C port and can distribute the current output up to 5V DC-2A. With 2 touch buttons, it can turn ON/OFF the light, change light colors, and adjust the light luminance.



#### Operation

- This touch button is used to turn on/off, change colors, and adjust brightness.
- A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off. B. Long touch -> adjust the luminance
  - This touch button is used to turn on/off the induction function.
- A . Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C . Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.