


ASSEMBLY INSTRUCTIONS

24INCH BATHROOM VANITY (COMBO)



Thank you for buying our products.

Please read the installation manual carefully before installation,

we need you to follow the instructions on the accessories and hardware

step by step assembly complete, our instructions are very detailed.

Products are environmentally friendly products,

Please rest assured that you do not soak in water, do not place very heavy items,


do not malicious push and pull,

if you have any problems in the process of assembly and use, please contact us.

Thank you again for your purchase of our products,














I wish you a happy life.

Detail View - BATHROOM VANITY














Identifying the Hardware-Identify the hardware using the illustrations below.


Part List

1		2		3	
Left side box - 1pc		Right side box - 1pc		Rear upper cross plate - 1pc	
4		5		6	
Rear middle cross plate - 1pc		Laminate - 1pc		Tray - 1pc	
7		8		9	
Rear lower cross plate - 1pc		Front lower cross plate - 1pc		Front upper cross plate - 1pc	
10		11		12	
Front middle cross plate - 1pc		cabinet door - 2pcs		Adjustable Shelf - 1pc	
13					
Sink - 1pc					


Hardware List

A  ø12x1/4"x28mm	B  ø6x35mm	C  ø14.5x12mm
Hex-Head bolts(4pcs)	Three in one bolts(24pcs)	Three in one lock(24pcs)
D  Damping hinge(4pcs)	E  ø7xø3.5x12mm	F  4mm
Wood dowel(18pcs)	Flat head screw(24pcs)	Allen key(1pcs)
G  ø8x30mm	H  ø5/32"x20mm	J  ø10xø30mm
Anti fall hardware(1set)	Laminate pad(4pcs)	handle(2pcs)
K  Anti fall hardware(1set)	L  Laminate pad(4pcs)	

ASSEMBLY TOOLS REQUIRED (NOT INCLUDED)




STEP:1





B
18PCS



STEP:2






B
6PCS


STEP:3

C		G	
6PCS		4PCS	




STEP:4


A		C		G	
2PCS		9PCS		7PCS	






STEP:5





STEP:6




STEP:7


H	J	E
		
2PCS	2PCS	16PCS




Use the screws to adjust up or down




Use the screws to permanent



Use the screws to adjust left or right




Use the screws to adjust in or out





STEP:8

L

4PCS




STEP: 9




STEP: 10

Install the sink on the cabinet with glue.
Let stand for 24 hours




*Silicone glue is not included
in the package to comply
with safety regulations in
certain shipping conditions.

STEP: 10



HINGE ADJUSTMENTS




① Sideways / Tilt adjustment

Turn the screw

clockwise to move the door further away from the side of the cabinet

anticlockwise to move the door closer to the side of the cabinet




② ④ Height adjustment

While supporting the weight of the door, turn the screws

clockwise to move the door up

anticlockwise to move the door down



③ Forward and back adjustment

If the gap between the back of the door and the cabinet is too small, and the door may not close fully. Turn the screw

clockwise to decrease the gap between the door and the cabinet

anticlockwise to increase the gap between the door and the cabinet

