


Lockly Secure Plus

Deadbolt Edition
PGD728F




Lockly Secure Plus is a revolutionary smart lock with advanced 3D Fingerprint access. Combined with patented PIN Genie touchscreen with an always shuffling keypad that changes every time someone approaches the door, it brings the convenience and security of a smart lock no ordinary smart locks can match.

-  MATTE BLACK
PGD728F
-  SATIN NICKEL
PGD728F
-  VENETIAN BRONZE
PGD728F
-  BRUSHED GOLD
PGD728F



FEATURE HIGHLIGHTS




PIN GENIE KEYPAD

Generate and stores up to 33 access codes.



TAPCOM

See, talk and unlock with HD video from anywhere, anytime.



APP CONTROL

Control and manage your property from anywhere, anytime.

MULTIPLE WAYS TO UNLOCK



ACCESS CODES

6-8 digits PIN code with patented PIN Genie keypad to protect from password guessing.



APP CONTROL

Unlock with free Lockly Home app from anywhere, anytime.



EKEYS AND EBADGES

Set up users to unlock, no matter it is permanent, temporary or one-time.



VOICE CONTROL

Unlock your door or check status with Alexa and Google Assistant.



PHYSICAL KEYS

Rekey capable.



3D BIOMETRIC FINGERPRINT SENSOR

Super fast 0.2 sec recognition with embedded AI-learning.



OFFLINE ACCESS CODE™

Grant one-time or recurring access even if you are not connected to the internet.



WELCOME MODE

Keep your door unlocked during preset schedules for instant access.



SCAN-TO-OPEN

Unlock by unique QR code, revoke capability anytime

EASY MANAGEMENT, ANYWHERE, ANYTIME

REAL-TIME NOTIFICATIONS

Lock, unlock and manage from anywhere, anytime

AIR TRANSFER

Copy user profiles between compatible Lockly devices

AUTO LOCK

Programmable from 5s- 120s



REAL-TIME CONTROL

Unlock and receive real-time notification with built-in Wi-Fi



LOCKLY HOME APP

Lock, unlock, check activities and manage from anywhere, anytime



LOCKLYOS

Manage all your properties, locks and users from one smart total access solution

SECURE PLUS DEADBOLT EDITION

INSTALLATION AND RESOURCES



DOOR REQUIREMENT

Left / Right Swing Doors

Door thickness: 1-3/8" – 2" (35mm – 50mm)

Bore: 2-1/8" (54mm) diameter Bore hole, 1" (25mm) diameter latch hole

Backset: 2-3/8" or 2-3/4" (60mm or 70mm)

DIY INSTALLATION

No door prep required to upgrade from most existing Lockly devices

Step-by-step installation video, 15 minutes installation




Watch Video

WHAT'S IN THE BOX

Secure Plus Deadbolt
Secure Plus Deadbolt
Special Edition**
Deadbolt Assembly
Physical Keys x2
Fixing Screws & Foam Pads
Mounting Plate

Strike Plate
AA Alkaline Batteries x4
Activation Card
Quick Start Guide
Installation Guide
User Manual
Drill Template



PARTS AND ACCESSORIES

ITEM	SKU /PART NO	DESCRIPTION
Secure Link Wi-Fi Hub	PGH230	Sold separately / optional
Touchscreen Cover	PGA730	Sold separately / optional
Build-in Door Sensor	PGA008	Sold separately / optional
Extension Screw Kit	PGA1101	2 1/16"– 2 11/16" (53mm – 68mm) door thickness Only selected versions supported ¹
Matter Link	PGH260	Sold separately / optional Only selected versions supported ¹

TECH SPECS

ELECTRONIC SPECIFICATIONS

Access Codes	Stores up to 33 PIN access codes
Fingerprint Access	Stores up to 99 biometric fingerprints
Voice Control	Hey Google, Alexa
Remotely Shareable Temporary Access	Unlimited Offline Access Codes ^{OS} / eBadges
Access Logs	Unlimited ^{OS} Accessible via Lockly Home app or LocklyOS™
Visual and Audible	Exterior: LED (Red, Green), Interior: LED (Red), Configurable Lock/Unlock Audio Indicator
Communication Standards	BLE 4.2, Wi-Fi 2.4GHz, Advanced Encryption Standard (AES), 256-bit
Gateway Communication Range	Up to 98' (30m) BLE, up to 197' (60m) Wi-Fi, Up to 164' (50m) RF433.92MHz, Unobstructed open environment
Command Response	Responds to command from host in less than 3 seconds when linked to Wi-Fi Hub, 0.2S on Fingerprint Recognition
Connectivity Options	Lockly Home app, LocklyOS, Matter Controller, ALL in real-time communication
Available Signal Status	Battery Status via App, Open/Close Door Status, Bluetooth Connectivity Indicator, Sensor LED (Red/Green)
Battery Life	AA Alkaline Batteries x 4 (included), Up to 1 year (offline mode), up to 10 months (regular use), 9V backup power socket
Waterproofing	IP54
Operating Temperature	-4°F to 151°F (-20°C to 66°C)
Operating Humidity	0 - 95% non-condensing

CREDENTIAL SPECIFICATIONS

Credential Technologies	BLE (2.4 GHz), Wi-Fi (2.4GHz), Capacitive Sensor, Patented PIN Genie Keypad
Maximum Read Range	BLE: up to 98' (30m), Wi-Fi: up to 197' (60m)
Mobile Compatibility	Lockly Home app BLE 4.2, LocklyOS, Matter

MECHANICAL SPECIFICATIONS

Handing	Field reversible
Materials	Premium Zinc Alloy chassis and escutcheon, 20-mins fire rated ³
Door Thickness	1-3/8" - 2" (35mm- 50mm)
Backset	Adjustable 2-3/8" or 2-3/4" (60mm or 70mm), 1" x 2-1/4" round corner faceplate
Strike	Deadbolt: 1-1/8" x 2-3/4", round corner, Dust box included
Bore	2-1/8" (54mm) diameter Bore hole, 1" (25mm) diameter latch hole
Physical Keys	SC4 6Pin Re-keying compatible, 2pcs included

COMPLIANCE AND WARRANTY

Compliance	RoHS, FCC, FBC, UL 10B, 10C, Built to ANSI Grade 2 ²
Warranty	Lifetime 24/7 Technical Support, 5 -year Limited Mechanical & Finish, 2 -year Limited Electronics

^{OS} Requires LocklyOS

¹ Product Serial number must contain N, such as PGD798NXXXXXX

² Manufacturer declares compliance to ANSI A156.36 Auxiliary locks, ANSI A156.5 Cylinders and Input Devices for Locks

³ Made compliant with UL10B, UL10C fire tests

** Made for thick fingers and special door frames

DISCLAIMER: Lockly has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, system, components and options availability are all subject to change without notice to improve features, reliability or design or otherwise.

SECURE PLUS DEADBOLT EDITION