



USE AND MAINTENANCE


- Use on level surfaces only
- Because this product needs assembly, it is prone to working itself loose from time to time depending on the use. Please take the time to check that all connections are still tight and working properly for safety.
- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.

Pushback Recliner

PART LIST



Assembly Instructions






1. Unpack 1 - Seat Base and turn on it side. Remove any packing straps or materials from underside of Seat Base securing the footrest from opening

2. Select 3 Leg, and 4, fabric protector washer. Insert leg post through hole in washer then into hole in 1 Seat Base. Facing the leg end, turn leg clockwise (right) to tighten leg.


3. Repeat for 3 other fabric protector washers and legs.

4. Turn 1 - Seat Base upright onto the legs.


5. Select 2 - Backrest and open the back fabric.



6. Select 1 - Seat Base and 2 - Backrest. With Backrest fabric facing outward, carefully align backrest mounts to seat-base mounts. Insert bottom backrest mounts into Seat Base Mounts until they latch and backrest is secured to seat-base. Exercising Caution, Carefully lift upward on the backrest to confirm backrest is secured.



7. Close the back fabric



8. Congratulations! Setup of your new Naomi Home Landon Pushback Recliner is complete!

Note: when seated, hold the arm rests and push back with your torso to recline

