

ASSEMBLY INSTRUCTIONS

Corner Sofa Furniture Set



Parts I




Notice:

- 1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
- 2. Place the item on a flat ground to adjust and make sure it remains stable.
- 3. Tighten up all screw with tools gradually.
- 4. If screw are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
- 5. If the item is not stable, please loosen all screws, adjust it on a flat ground and tighten up all screws again.
- 6. Note: If one or some screws are fully tighten during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws
- 7. Remove the sponge from the cushion when washing, Hand wash only. The washing machine and brush harm the fabric.

Parts List And Hardware List


Check and make sure you get the components on the list, contact us for any missing




2 -

Installation step

For successful installation, When installing, please do not tighten the screws once, when the screws are all installed, a unified tighten all the screws




Step 1: Connect Table Top (A) & Table Leg (B), tighten Bolt (1), Flat Washer (3) with Allen Key (4).



Step 2: Connect The Part from Step 1 & Table Support Leg (C), tighten Bolt (1), Flat Washer (3) with Allen Key (4).




Step 3: Put the Table upright and make sure all legs are level, then firmly tighten bolts with Allen Key (4).




Step 4: Put on Table Glass (D) to Table to Finish Table.

Installation step


For successful installation, When installing, please do not tighten the screws once, when the screws are all installed, a unified tightten all the screws




Step 5: Connect Seat Left Bench (E) & Single Back Frame (F), tighten Bolt (2), Flat Washer (3) with Allen Key (4).



Step 6: Connect The Part from Step 5 & Support Back (5), tighten Bolt (1), Flat Washer (3) with Allen Key (4).



Step 7: Connect Leg Left Frame (G) & Support Leg Left Frame (H).




Step 8: Connect The Part from Step 6 & Step 7, tighten Bolt (2), Flat Washer (3) with Allen Key (4).

Installation step |


For successful installation, When installing, please do not tighten the screws once, when the screws are all installed, a unified tighten all the screws




Step 9: Put the Left Bench upright and make sure all legs are level, then firmly tighten bolts with Allen Key (4).



Step 10: Connect Seat Right Frame (I) & Double Back Frame (J), tighten Bolt (2), Flat Washer (3) with Allen Key (4).




Step 11: Connect The Part from Step 10 & Support Back (5), tighten Bolt (1), Flat Washer (3) with Allen Key (4).




Step 12: Connect Leg Right Frame (K) & Support leg Right Frame (L).

■ Installation step


For successful installation, When installing, please do not tighten the screws once, when the screws are all installed, a unified tightten all the screws



Step 13: Connect The Part From Step 11 & Step 12, tighten Bolt (2), Flat Washer (3) with Allen Key (4).




Step 14: Put the Right Bench upright and make sure all legs are level, then firmly tighten bolts with Allen Key (4).




Step 15: Connect Left Bench (Step 9) & Right Bench (Step 14), tighten Bolt (2), Flat Washer (3) with Allen Key (4).

Installation step

For successful installation, When installing, please do not tighten the screws once, when the screws are all installed, a unified tightten all the screws



Step 16: Connect The Part from Step 15, tighten Bolt (2), Flat Washer (3) with Allen Key (4).



Step 17: Put on Seat Cushion (M) & Back Cushion (N), Pillow (O) Stick string to Back & Seat to finish Sofa.