



Assembly Instructions




General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are: wood dowels, screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together, place a small amount of glue on the end of the dowel before attaching parts together. Wipe away excess glue immediately.



- VI. A Phillips head screwdriver is required for the assembly of this product .




- VII. Power tools should not be used to assemble this product.






- VIII. Drill may be needed for securing product to wall.

Parts List



Hardware List


A		Ø8x30mm	Wooden dowel	32 pcs
B		Ø15x11mm	Cam lock	23 pcs
C		Ø15x9mm	Cam lock	4 pcs
D		Ø6x35mm	Cam bolt	27 pcs
E		Ø6x50mm	Screw	20 pcs
F		M 4	Hex Key	1 pc
G		Ø6x13mm	Bolt	16 pcs
H		Ø30mm	Sticker	27 pcs
J		Ø4x12mm	Screw	4 pcs
K			L shape bracket	2 pcs
L		F18V66L	Fireplace Insert	1 pc
M			Glue tube	1 pc



Philips head screwdriver required for assembly
(not included)


*The hardware quantities listed above are required for proper assembly.
Some extra hardware may also have been included.*

Step 1






Insert wooden dowel (A) into parts (2,4,11,12) ,then secure cam bolt (D) into parts (7,8) with Philips head screwdriver as per diagram.

Step 2





Insert wooden dowel (A) into parts (3,9,10) ,then secure cam bolt (D) into parts (3,9,10) with Philips head screwdriver as per diagram.

Step 3





Secure cam bolt (D) into part (1) ,then using cam lock (B) secure part (2) to part (1) with Philips head screwdriver as per diagram.

Step 4





Using cam lock (B) secure part (8) to part (10) ,part (7) to part (9) with Philips head screwdriver as per diagram.

Step 5




Using cam lock (B) secure parts (3,9) to part (11) with Philips head screwdriver as per diagram.

Step 6




Using cam lock (B) secure parts (3,10) to part (12)with Philips head screwdriver as per diagram.

Step 7




Using screw (E) attach part (6) to part (10) , part (5) to part (9) with hex key (F) as per diagram.

Step 8





Using screw (E) attach part (13) to parts (3,4,5,6,9,10) with hex key (F) as per diagram.

Step 9




Using bolt (G) attach part (14) to part (13) with hex key (F) as per diagram.

Step 10




Using cam lock (B) secure part (1) to parts (3,9,10) , cam lock (C) secure part (1) to part (4) with Philips head screwdriver as per diagram.

Step 11





Place sticker (H) cover the holes as per diagram .

Step 12




Insert the fireplace (L) to unit as per diagram.

Step 13




Using screw (J) attach L shape bracket (K) to part (9) with Philips head screwdriver as per diagram.

Step 14




Repeat the last step as per diagram.

Step 15



Position the assembled unit at the desired location ,if necessary adjust the floor leveler at the bottom of the support leg to level the unit .

Step 16



Final Assembly