




# Product Installation Instructions







**Ax3**




**Bx6**




**Cx3**




**Dx3**



**Ex1**




**Fx1**




**Gx1**




**Hx2**




**Ix1**




**Jx2**




**Kx1**



**Lx1**













**Mx1**




**1**

# Accessories list

①		Two in one screw (6x28mm)	50pcs +4pcs
②		Two in one nut (10x12mm)	50pcs +4pcs
③		Wood chipping (6x30mm)	12pcs +2pcs
④		Fixing clip & screw (3x16mm)	4pcs
⑤		Guide rails & screws (3x12mm)	24pcs +12pcs  6pcs
⑥		Handle & screw (4x18mm)	6pcs +2pcs  3pcs
⑦		Non-slip pads	4pcs +2pcs
		AC/DC Adapter (12V==3.0A)	1pcs



Double-head screwdriver, use as required



The plates used in this product are bright plates,

With a transparent protective film


The function of the protective film is prevent the product from  
being scratched during transportation


Please remove the protective film before installing the product,

Avoid difficult removal of the protective film after installation




# Product structure decomposition






Use parts ① and ②



Step1




Step2



Step3



Use a screwdriver to lock in the direction of the "+" sign




Disassemble along the direction of "-" sign

Step 1


①

x4




5


## Step 2



## Step 3




## Step 4



1 x4

## Step 5




2 x4

6 x2  
x1

x4 2



7

# Exploded view of drawer guide rail




Step 1 : Pull the guide rail apart





Step 2 : Push the nylon buckle and pull outward ①



## Step 6













Step 7



x3


Repeat the drawer installation process

<p>①  x26</p>	<p>②  x26</p>	<p>③  x12</p>
<p>④   x4</p>	<p>⑤  x18  x6</p>	<p>⑦  x4</p>
<p> x1</p>		







## Step 8



## Step 9




## Step 10




This hole is a reinforced fixing hole which can be installed as required


## Step 11



## Step 12



## Step 13




This hole is a reinforced fixing hole which can be installed as required

## Step 14

2



x2





Step 15

2



x2




## Step 16

2





x2



16


## Step 17

①  x2



## Step 18

②  x2




## Step 19

2



x4




x4

2



Step 20





## Step 21

2




x10



20


## Step 22

7





x4

Tear off release paper and stick the black foot pad on the board



21


Step 23



## Step 24


3


x4



23

## Step 25

1  x4




## Step 26


2



x4




25





As shown, When installing the drawer,  
pull the guide rail out first, Slide beads are also pulled out.






If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 27




## Step 28



x1

The bedside table supports wireless charging, It can be charged by placing a mobile phone that supports wireless charging.





## User's Guide

Thank you for purchasing this product.

To use this product, please plug it into a 12V DC power supply.

Please use if the product works normally after connecting to power.

## Introduction

The box is an intelligent controller. It has 1 USB port and 1 type-C port and can distribute the current output up to 5V DC-2A. With 2 touch buttons, it can turn ON/OFF the light, change light colors, and adjust the light luminance.

## Operation




This touch button is used to turn on/off, change colors, and adjust brightness.

- A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off.
- B. Long touch -> adjust the luminance.



This touch button is used to turn on/off the induction function.

- A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.



This range is a wireless charging area, and only mobile phones with wireless charging function can be charged.

Consumer Reminder: Important Notice for Wireless Charging Use

1, Phone-Only Wireless Charging: This device supports wireless charging for mobile phones only. Attempting to charge other electronic devices may result in danger.

2, Metal Warning: Ensure that no metal objects are placed between your phone and the wireless charger (this includes magnetic or metal phone cases).

If there are metal objects can interfere with charging or cause hazardous conditions.



## ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If bubbles appear on the panel, remove the protective film.
3. If you have any questions when installing, please feel free to contact us. Thank you.