




85123 Product Installation Instructions







1x1




2x2




3x1




4x1




5x1




6x1




7x1




8x1




9x1




10x1




11x1




12x2




13x2




14x2




15x1




1




16x2




17x1




18x2




19x1




20x1




21x1




22x1




23x1




24x1




25x2




26x1




27x1




28x1


















29x1




30x1




2

Accessories list				
A			Two In One Screw (6x28mm)	73pcs +7pcs
B			Two In One Nut (10x12mm)	73pcs +7pcs
C			Wood Chipping (6x30mm)	8pcs +1pcs
D			Handle & Screw (4x22mm)	8pcs +1pcs 4pcs
E			Screw & Guide (29cm) (3.5x12mm)	10pcs +2pcs 2pcs
F			Hinge & Screw (3. 5x12mm)	10pcs +2pcs 2pcs
G			Wheel & Screw (3. 5x12mm)	16pcs +2pcs 4pcs
H			Screw & Guide (24cm) (3.5x12mm)	20pcs +4pcs 4pcs
I			Non-slip pads (50x10mm)	6pcs +2pcs
J			Hinge & Screw (3. 5x12mm)	4pcs +1pcs 2pcs
K			Screw (4x14mm)	8pcs +1pcs
L			Bracket(15CM) & Screw (4x12mm)	8pcs +1pcs 2pcs
M	Anti tipping hardware  x1  x1 (3. 5x14mm)  x1  x1 (4x45mm)  x2			1pcs
AC/DC Adapter (12V $\equiv$ 3. 0A)  1pcs		 1pcs  Double-head screwdriver, use as required 3		


Product structure decomposition






Use parts ① and ②




Step1



Step2



Step3





Use a screwdriver to lock in the direction of the "+" sign


Disassemble along the direction of "-" sign

Step 1


A





Step 2






Step 3




Step 4



Step 5




Drawer rail breakdown diagram




① Dismantle the schematic diagram

Step 1 : Pull the rails apart






Step 2 : Press the nylon button and pull out ①.



Drawer rail decomposition completed schematic diagram





Step 6





Step 7





Step 8





Step 9



Step 10




Step 11




This hole is for strengthening fixed hole customers
can choose to install according to their needs.

Step 12

B




x4




Step 13



A



x4





Step 14




This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 15




Step 16

B




x4




Step 17

G





x4




x16





Step 18





Step 19



Step 20





Step 21




Step 22

D



x1



x2





Step 23

F


x4




Step 24




As shown, When installing the drawer, pull the guide rail out first, Slide beads are also pulled out.



Step 25



If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap




Step 26




Steps and objects x2

Step 27



Steps and objects x2


Step 28



Panel No.15 with flannelette


Flannelette side facing up

Step 29




Step 30

B




x16




Steps and objects x2

Step 31


D



x2




x4



Steps and objects x2


Step 32



H


x4

x8




Steps and objects x2


Step 33





Step 34






Step 35



Step 36




Step 37




Step 38

B




x2




Step 39

B





x3




Step 40

- A


 x2
- C


 x2




Step 41

- B


 x2



Step 42




H



x2




x6



This hole is for strengthening fixed hole customers can choose to install according to their needs.


Step 43

A




x10

C




x2




Step 44

B




x4




Step 45

B




x4




Step 46

B




x2




Step 47



C



x2





Step 48




This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 49




Step 50



B



x10




Step 51




Tear off release paper and stick the black foot pad on the board

Step 52

1




x2





Tear off release paper and stick the black foot pad on the board


Turning this screw can effectively adjust the size of the door gap.



Turn this screw to adjust the door panel to be flat with the side panel.


Step 53

- J**  x2  x4




Step 54

K




x8




Note: Route the lamp wire to the rear side.

First lock the elliptical hole
then lock the fixed hole




38

Step 55




As shown, When installing the drawer, pull the guide rail out first, Slide beads are also pulled out.



Step 56


The drawer with grid structure shall be mounted on the upper position.






If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 57


L


 x2

 x4






Step 58




L  x4



Step 59



M  1pcs

 1pcs  1pcs



Step 60

use a ruler to measure the approximate height of the product on the wall, and then mark it with a pencil.




Put the expansion bolt into the hole.

Pass the matching screws through the "anti-rewind" and tighten them to fix them on the wall.


Use a tape drill to make holes in the wall that are suitable for the product screws.

wall




wall


Step 61




x1



Step 62




Smart Box Plug Power Off
Scan the QR code to download the app




Select English Language

Select the corresponding device to download.
Note: If the download fails, please turn off the “Enhanced Protection” in the Pure Mode settings of the device.




1



2

It turns blue after clicking

3




4




5

Unplug the smart box




6

7 Plug in the smart box power plug.




8

The appearance of this program icon indicates that the matching is complete



9



10



Now you can freely adjust the lighting according to your preferences

User's Guide

Thank you for purchasing this product.

To use this product, please connect it to a power source.

Please use if the product works normally after connecting to power.

If bubbles appear on the panel, remove the protective film.

Introduction

The box is an intelligent controller.

It has 1 USB output port 1 Type-c port, with 3 touch buttons and a touch ring, it can and turn ON/OFF the induction function,

turn ON/OFF the light, adjust the light luminance, and change light colors.

The lights can be controlled through both the touch buttons and a dedicated app.



Scan code to download app

Operation

This touch button is used to turn the light on/off, adjust brightness, and switch the color of the lights.




i. Single Click: Turn the light on/off.

ii. Quick Double-Click: Switch between 7 static RGB colors.

iii. Long Press (2+ seconds): Adjust the light luminance.

This touch button is used to turn ON/OFF the induction function.



Single Click: Turn on (The key press indicator light is on.)

Single Click: Turn off (The key press indicator light is off.)

By default, the human body sensing is enabled upon initial power-on, and the indicator light is on.

This touch button is used to switch dynamic phantom colors.



Single Click: Switch to Phantom Mode, with 5 magical color transformations available.

Light ON/OFF Button

Application QR code

This area is the color switch function, you can click or slide to any color circle position to achieve color switch.



Type-c output port

USB output port

Induction Button

⚠ ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.

2. If you have any questions when installing, please feel free to contact us. Thank you.