




ASSEMBLY INSTRUCTIONS




LIST OF PARTS

TOOLS REQUIRED:NO TOOLS REQUIRED

PART LIST

NO	Description	Item	Quantity
A	LAF Backrest		1
B	LAF Seat		1
C	Left Arm Wing		1
D	wall plug transformer		1




ASSEMBLY INSTRUCTIONS

STEP 1:


Install the LAF Backrest(A) into the LAF Seat (B) by positioning the female metal receiver brackets over the male metal posts. Ensure that female metal receiver brackets on each side of the backrest are positioned over the seat metal posts. Push down the female brackets over male posts simultaneously until each side is locked into place an audible "click" is heard. Install all backrests of all pieces in the same way described above.

Carefully align the slide of Left Wing with the slide of Left Back Cushion and slide into place. Press down firmly until the wing and backrest are aligned.




STEP 2:

Begin the connection by placing the left Arm Facing power recliner (1) in desired location in room. Then start connection by placing # 2 into piece #1. Continue connection with piece # 3 following the same method described above.



POWER CONNECTIONS

STEP 3:




Connect firmly one end the wire plug transformer cord into the DC adaptor located in the lower inside back corner of the Left and Right recliners arms and plug the other end of the transformer cord into a power outlet wall socket. Flip the red switch on the DC adaptor to ON positioning until light is lit red.

POWER CONNECTIONS


STEP4 :Connect wall plug transformer to transformer switch.

wall plug transformer to Transformer
Power Switch



STEP5 :Connect wall plug transformer from Left Arm Seat to outlet.


wall plug transformer to Electrical Outlet



STEP6 :After all connections have been made ,ensure that transformer power switch is switched to the "on" position.


Power Switch

Power switch




ELECTRICAL CONTROLS

STEP7:




WARNINGS

*Clearance to the wall 30 cm





*Avoid placing unit in areas where unit can be exposed to direct sunlight other powerful light sources,
*Keep unit at least 24" from all heat sources.

as fading or discoloration may occur.



*Do not reach under seat when mechanism is operating or serious injury may occur.

*Reclining mechanism should only be operated while seated properly.




Do not sit on arms or backrest

Do not jump or roughhouse on furniture



*If unit must be moved, do not drag. Unit must be lifted in order to be moved.



*Do not continuously operate mechanism for more than one minute or unit may go into protection mode by shutting down to prevent overheating.

*Unplug unit from power source prior to cleaning mechanism.

*Do not allow electrical components to come into contact with any liquids.

CARE AND CLEANING

*Upholstered furniture is packaged tightly to protect it during transit. This packaging can sometimes cause creases or misshaped cushions when the furniture comes out of the packaging. These issues will correct themselves over time as the fibers of the cushions are exposed to air. However, shaping the cushions with your hands can alleviate the creases and compressed fibers more quickly.



Before shaping



After shaping



*Dust often and use a vacuum cleaner to remove debris from seams and crevasses.

*Use a soft damp cloth to gently clean soiled areas and wipe clean. Do not rub.

*Do not use household cleaners or solvents. Such cleaners may cause damage and/or discoloration.

*Do regularly use dedicated leather care product onto the leather furniture to prevent built up of body oils.