



HOW TO ASSEMBLE BACK SYSTEM



When assembling back to arms, place Bracket B into sleeve A. And press top of back down firmly to lock the retaining clip into place.

Listen for the clip to pop into place


and your back is securely in place!




Product Instructions

Components


Simple Assembly Instructions—Please keep for future reference




A: Before use product, first connect the lines.



1. Reverse the chair.



2. Find connector in the inside front of arm.




3. Connect the wire for power connection




4. Reverse the chair as normal.

B: Product charging and battery maintenance.




inlet


1. Find inlet and accessories pack at the bottom back of the chair.



2. Open the bag.



3. Get the charging accessories.



4. One end plug inlet.



5. The other end plug in socket.

▲ (NOTE: The power light flashes red as charging and green as full charge)

★ ★ ★ Instruction remarks:

1. If an alarm occurs when the product switches on that indicates battery low need to be recharged. when start charging alarm sounds 3 to 5 minutes as normal and will stop.
2. To avoid battery damage, please use original charging accessories.
3. Please unplug the power when charging is completed.
4. Please do not use the product when charging.
5. The product has to be complete recharged for 3 to 6 hours when it stored for six-months.

Chair parts List

①		transformer
②		wire

WARNING

- Before using this product, the plastic fastener, which locks the mechanism, must be cut and removed.
- Antes de utilizar este producto, corten y quiten el zuncho en plástico que bloquea el mecanismo.
- Prima di usare questo prodotto, la fascetta di plastica che blocca il meccanismo, deve essere tagliata e rimossa.

