

Assembly Instructions

Item Number: GA-5725



Thank you for your purchase!

Missing pieces, need help with assembly or have broken parts? Please reach out to our customer service team directly via email. Our hours of operation are 9:00am-5:30pm, Monday-Friday.

Customer Service Email: Patioservices@gmail.com

Before Assembly:

- **Read Carefully:**
Please read these instructions thoroughly before beginning assembly.
- **Work Surface:**
We recommend assembling on a soft surface, such as a carpet, to avoid scratching the paint.
- **Child Safety:**
Keep children away during assembly. This item contains small parts that could be swallowed by children.
- **Intended Use:**
This product is designed solely for outdoor use and is not a toy. Using it for unintended purposes will void the warranty.
- **Weather Conditions:**
Do not use this product during inclement or severe weather, including (but not limited to) rain, hail, sleet, snow, wind, freezing conditions, or extreme heat.
- **Surface Appearance:**
Due to the nature of cast metal, the surface may appear rough. This roughness enhances the beauty of the product and is not a defect.
- **Handling Aluminum Parts:**
Aluminum is a soft metal. Avoid using power tools and do not overtighten, as this may strip threads or break parts.
- **Supervision:**
Children under the age of 10 should be supervised by a competent adult at all times when near the product.
- **Packaging:**
Retain all packaging until assembly is complete. Keep these instructions for future reference or warranty purposes.

Parts List:

A X1pc  Back	B X4pcs  Seat Slat	C X2pcs  Seat Frame (L, R)	D x2pcs  (L, R) Side Frame
E X4pcs  Square Base	F X2 pcs  Curve Frame	G X3 pcs  Support Bar	H X6pcs  Hex. Screw M8*40
I X6 pcs  Spring Washer M8	J X6pcs  Flat Washer M8	K X12 pcs  Nut M6	L X4 pcs  Round Head Screw M6*55
M x8pcs  Round Head Screw M6*45	N x20 pcs  Hex. Screw M6*20	O X4 pcs  Hex. Screw M6*35	P X4pcs  Plastic Cap M6
Q X36 pcs  Flat Washer M6	R X36 pcs  Spring Washer M6	S x16 pcs  Ground nail screw	


Step 1:

1. Connect the Seat Frame:

Attach one seat frame (C) to one side frame (D) first (seat frame (L) matches side frame (L)/ seat frame (R) matches side frame (R)) using H, I, J. Then, repeat for another seat frame and another side frame.

2. Screw Adjustment:

Tighten all screws here.



Step 2:

1. **Connecting the Seat:**


Attach the seat (B) to the seat frame (C) using M, Q, R, K.

2. **Connect the Back:**

Attach the back (A) to the seat frame (C) using L, Q, R, K.

3. **Screw Adjustment:**

Do not fully tighten the screws yet.



Step 3:

1. **Attach the Support Bars:**


Attach three support bars (G) to the curved frames (F) using N, R, Q.

2. **Connect the Square Base:**

Attach all four of the squared base (E) to the assembled curve frame using N, R, Q.

3. **Secure the Assembly:**

Fully tighten all screws in this section.




Step 4:

1. **Connect the Top Frame:**

Attach the whole top frame to the side frames (D) using Q, R, O.

2. **Screw Adjustment:**

Tighten all the screws after attaching the top frame, use plastic caps on the screws on back (A).



Step 5:

1. **Optional Mounting Anchors :**

Fix the bottom of the two side panels with ground screws (S).

