

























IMPORTANT, RETAIN FOR FUTURE REEERENCE:READ CAREFULLY

Notice:

1. Follow the installation instructions. lease confirm all accessories are preset before installation.
2. Do not fully tighten the screws during initial assembly. Fully tighten screws only once all pieces which are correctly assembled.
3. If you encounter any problems during installation, please contact our customer service.






Item no.	Reference Image	Qty.	Item no.	Reference Image	Qty.
Ⓐ	 M5*35mm	x 22	Ⓔ	 M3	x 1
Ⓑ	 ø15*10mm	x 22			
Ⓒ	 Ø5*48mm	x 22			
Ⓓ	 Ø3.5*14mm	x 14			
Ⓔ	 Ø6*30mm	x 22			
Ⓕ	 Ø4*35mm	x 4			
Ⓖ	 Ø4*35mm	x 4			
Ⓗ	 x 4	x 4			
Ⓘ	 x 10	x 10			
Ⓙ	 Nylon Cable Tie	x 2			




1

Item no.	Reference Image	Qty.	Item no.	Reference Image	Qty.
①		x 1	⑨		x 1
②		x 1	⑩		x 1
③		x 1	⑪		x 1
④		x 1	⑫		x 1
⑤		x 1	⑬		x 1
⑥		x 2			
⑦		x 2			
⑧		x 1			




2

Explosion Diagram









4



5





6




9


7




Remove the tape before attaching the light strip.



Tape the lamp to the top of the ceiling position 90° bend to the top of the ceiling




The light belt is taped from the No. 9 backboard here



Start from here with the light belt


The lamp has a plug through the wire hole




10

8

It is very important to plug in the plug to ensure stability!





Remove the plastic piece before using the remote.
Read the manual for the remote control.





11

9






12

10



13

11




14

12





Ⓑ 2PCS



15


13



16



14


 6PCS



17


15

 1PCS
 4PCS




18

16



©

7PCS




19

17




Ⓑ

4PCS



20

18




ⓕ 4PCS



Attention: For safety and stability, we suggest you have to secure the anti-tip accessories to the wall to prevent tipping, injury, and property damage.

1. Place unit in desired location.
2. Locate wall stud nearest unit center.
3. On wall, mark the center of the hole.
4. If a wall stud cannot be located mark hollow wall at unit center.




21

19



ⓐ 4PCS




ⓓ 2PCS

Nylon Cable Tie


ⓐ 2PCS

1. Insert drywall screw into metal bracket and into drywall anchor.
2. Insert strap thru bracket attached to wall.
3. Pull lightly til strap stops. Assembly is complete.



22

20



Final Assembly