


CHITA®

CHITA®

Assembly Manual

Brendon Collection

Modular Sofa



Follow Us



@chitalivingofficial



@chitaliving



@chitaliving



@chitaliving

If at any step you need a helping hand, we're always here for you. You can email us, or hop into a live chat on our website — whatever method is convenient for you.

✉ support@chitaliving.com

Thank you for purchasing from CHITA LIVING. Please read this manual carefully before using and keep this manual for future reference.

The design and /or specification of this product is subject to change without notice.

Welcome to CHITA LIVING

If you are reading these instructions, the hard part is already out of the way. Surrounded by all these boxes, you may feel a little overwhelmed. No worries, we will walk you through and you will find the assembly process easy, intuitive and mostly, fun. Here are some tips before you get started.






1. Count the boxes. Check if you have received all boxes using the diagram on next page. Do not start the assembly process until all boxes are present. If you have not received all boxes or received wrong boxes, please contact our customer service at support@chitaliving.com and we will get back to you. Do not discard any of the packaging until you are certain that you have all the necessary parts for the assembly.

2. Do not open all boxes at once. Start with Left Arm Box and Left Chair Seat & Backrest Box to assemble the Left Armchair. Then, move on to open the Right Arm Box and Right Chair Seat & Backrest Box to assemble the Right Armchair. Next, assemble the Armless Chair, Corner, and finally, the Ottoman.

3. After the assembly is complete, feel free to enjoy your Brendon Collection as much as you can. However, please ensure that the packaging is disposed of in a safe and environmentally responsible way.

4. For your safety (as well as Brendon's), do not sit on the backrest during and after assembly and never use this sofa as a step ladder.

! Do not start the assembly process until all boxes are present.


2-piece Armless 	Box × 2 CHITA Armless Chair CHITA Armless Chair Armless Chair Armless Chair
2-piece Sofa 	Box × 4 CHITA Left Arm CHITA Right Arm CHITA Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest Left Arm Right Arm Left Chair Seat & Backrest Right Chair Seat & Backrest
3-piece Sofa 	Box × 5 CHITA Left Arm CHITA Right Arm CHITA Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest Left Arm Right Arm Left Chair Seat & Backrest Right Chair Seat & Backrest CHITA Armless Chair Armless Chair
4-piece Modular 	Box × 6 CHITA Left Arm CHITA Right Arm CHITA Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest Left Arm Right Arm Left Chair Seat & Backrest Right Chair Seat & Backrest CHITA Armless Chair CHITA Ottoman Armless Chair Ottoman
5-piece Corner Modular 	Box × 8 CHITA Left Arm CHITA Right Arm CHITA Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest Left Arm Right Arm Left Chair Seat & Backrest Right Chair Seat & Backrest CHITA Armless Chair CHITA Armless Chair CHITA Corner Backs CHITA Corner Seat & Cushions Armless Chair Armless Chair Corner Backs Corner Seat & Cushions
6-piece Modular 	Box × 8 CHITA Left Arm CHITA Right Arm CHITA Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest Left Arm Right Arm Left Chair Seat & Backrest Right Chair Seat & Backrest CHITA Armless Chair CHITA Armless Chair CHITA Ottoman CHITA Ottoman Armless Chair Armless Chair Ottoman Ottoman

Assembly Manual

Left Armchair




Parts




- 1 Left Arm
- 2 Left Backrest
- 3 Left Arm Cushion Insert
- 4 Left Arm Cushion Cover
- 5 Back Cushion Insert
- 6 Back Cushion Cover
- 7 Seat Cushion Cover
- 8 Seat Cushion Insert
- 9 Left Seat Base
- 10 Leg x 8
- 11 Connector x 2


Note: Ensure all parts are present before beginning assembly.




Left Arm PIECES INCLUDED



- 1 Left Arm x 1
- 3 Left Arm Cushion Insert x 1
- 4 Left Arm Cushion Cover x 1
- A Assembly Manual x 1



Left Chair Seat & Backrest PIECES INCLUDED




- 5 Back Cushion Insert x 1
- 6 Back Cushion Cover x 1
- 7 Seat Cushion Cover x 1
- 8 Seat Cushion Insert x 1
- 9 Left Seat Base x 1
- 2 Left Backrest x 1
- 10 Leg x 8
- 11 Connector x 2

Left Armchair


Step 1

Take out the Left Arm, Left Arm Cushion Insert from Left Arm Box. Take out the Left Arm Cushion Cover from the bottom of Left Arm.



Step 2


Take out the Left Seat Base, Seat Cushion Cover, Back Cushion Cover and Backrest from Left Chair Seat & Backrest Box.



Step 3

Remove the three wood sticks at the base of the seat to take out the hardware pack, vacuum-packed Seat Cushion Insert and Back Cushion Insert then open these bags.


⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.




Left Armchair

Step 4


Rotate the Legs firmly.



Left Seat




Left Arm



Left Backrest


Step 5

Slide the Left Backrest into the Left Seat.



Step 6


Slide the Left Arm into the Left Seat and Backrest.



Left Armchair



Step 7

Insert the Left Arm Cushion Insert into the Left Arm Cushion Cover.
Insert the Seat Cushion Insert into the Seat Cushion Cover.
Insert the Back Cushion Insert into the Back Cushion Cover.
Fluff the Left Arm Cushion, Seat Cushion and Back Cushion.



Step 8

Zip the Back Cushion to the Left Backrest, put Seat Cushion and Left Arm Cushion on the Seat Base to complete the assembly of your Left Armchair.



Congratulations!
Left Armchair is ready!


Tips

For now, please keep the Metal Connectors aside and you may need them after you have completed the assembly of all modules (See Page 21 for details).

Right Armchair




Parts




- 1 Right Arm
- 2 Right Backrest
- 3 Right Arm Cushion Insert
- 4 Right Arm Cushion Cover
- 5 Back Cushion Insert
- 6 Back Cushion Cover
- 7 Seat Cushion Cover
- 8 Seat Cushion Insert
- 9 Left Seat Base
- 10 Leg x 8
- 11 Connector x 2


Note: Ensure all parts are present before beginning assembly.




Right Arm PIECES INCLUDED



- 1 Right Arm x 1
- 2 Right Arm Cushion Insert x 1
- 3 Right Arm Cushion Cover x 1



Right Chair Seat & Backrest PIECES INCLUDED




- 1 Right Seat Base x 1
- 2 Right Backrest x 1
- 3 Back Cushion Insert x 1
- 4 Back Cushion Cover x 1
- 5 Seat Cushion Cover x 1
- 6 Seat Cushion Insert x 1
- 7 Leg x 8
- 8 Connector x 2

Right Armchair


Step 1

Take out the Right Arm, Right Arm Cushion Insert from Right Arm Box. Take out the Right Arm Cushion Cover from the bottom of Right Arm.



Step 2


Take out the Right Seat Base, Seat Cushion Cover, Back Cushion Cover and Backrest from Right Chair Seat & Backrest Box.



Step 3

Remove the three wood sticks at the base of the seat to take out the hardware pack, vacuum-packed Seat Cushion Insert and Back Cushion Insert, then open these bags.


⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.



Right Armchair


Step 4

Rotate the Legs firmly.




Step 5

Slide the Right Backrest into Right Seat.



Step 6


Slide the Right Arm into Right Seat and Backrest.



Right Armchair



Step 7

Insert the Right Arm Cushion Insert into the Right Arm Cushion Cover.
Insert the Seat Cushion Insert into the Seat Cushion Cover.
Insert the Back Cushion Insert into the Back Cushion Cover.
Fluff the Right Arm Cushion, Seat Cushion and Back Cushion.



Step 8

Zip the Back Cushion to the Right Backrest, put Seat Cushion and Right Arm Cushion on the Seat Base to complete the assembly of your Right Armchair.



Congratulations!
Right Armchair is ready!


Tips

For now, please keep the Metal Connectors aside and you may need them after you have completed the assembly of all modules (See Page 21 for details).

Armless Chair




Parts




- 1 Armless Backrest
- 2 Back Cushion Insert
- 3 Back Cushion Cover
- 4 Seat Cushion Cover
- 5 Seat Cushion Insert
- 6 Armless Seat Base
- 7 Leg x 6
- 8 Connector x 2

Note: Ensure all parts are present before beginning assembly.





Armless Chair PIECES INCLUDED



- 1 Armless Backrest x 1
- 2 Back Cushion Insert x 1
- 3 Back Cushion Cover x 1
- 4 Seat Cushion Cover x 1
- 5 Seat Cushion Insert x 1
- 6 Armless Seat Base x 1
- 7 Leg x 6
- 8 Connector x 2
- 9 Assembly Manual

Step 1

Take out the Armless Seat Base, Seat Cushion Cover, Back Cushion Cover and Backrest from Armless Chair Box.




Armless Chair

Step 2


Remove the three wood sticks at the base of the seat to take out the hardware pack, vacuum-packed Seat Cushion Insert and Back Cushion Insert, then open these bags.

⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.




Step 3

Rotate the Legs firmly.




Armless Seat



Armless Backrest

Step 4


Slide the Backrest into the Seat.



Armless Chair


Step 5

Insert the Seat Cushion Insert into the Seat Cushion Cover. Insert the Back Cushion Insert into the Back Cushion Cover. Fluff the Seat Cushion and Back Cushion.



Step 6

Zip the Back Cushion to the Backrest, and put Seat Cushion on the Seat Base to complete the assembly of your Armless Chair.




Congratulations!
Armless Chair is ready!

Tips

For now, please keep the Metal Connectors aside and you may need them after you have completed the assembly of all modules (See Page 21 for details).

Corner

Parts



Note: Ensure all parts are present before beginning assembly.




- 1 Corner Left Back C1
- 2 Corner Right Back C2
- 3 Back Cushion Insert x 2
- 4 Back Cushion Cover x 2
- 5 Seat Cushion Cover
- 6 Seat Cushion Insert
- 7 Corner Seat Base
- 8 Leg x 9
- 9 Connector x 2

Corner


Step 1

Take out the Corner Left Back (C1) and Corner Right Back (C2) from Corner Backs Box.



Step 2


Take out the Seat Base, Seat Cushion Cover, Back Cushion Cover (2 pieces), and Back Cushion Insert (2 pieces) from the Corner Seat & Cushions Box, and open these bags.



Step 3

Remove the three wood sticks at the base of the seat to take out the hardware pack and vacuum-packed Seat Cushion Insert, then open these bags.

⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.



Corner Backs PIECES INCLUDED

- 1 Corner Left Back C1 x 1
- 2 Corner Right Back C2 x 1


Corner Seat & Cushions PIECES INCLUDED

- 1 Back Cushion Insert x 2
- 2 Back Cushion Cover x 2
- 3 Seat Cushion Cover x 1
- 4 Seat Cushion Insert x 1
- 5 Corner Seat Base x 1
- 6 Leg x 9
- 7 Connector x 2
- 8 Assembly Manual


Corner

Step 4


Rotate the Legs firmly.



Corner Seat




Corner Left Back



Corner Right Back


Step 5

Slide the Corner Right Back (C2) into the side of Seat Base marked with C2.



Step 6


Slide the Corner Left Back (C1) into the side of Seat Base marked with C1.



Corner



Step 7

Insert the Seat Cushion Insert into the Seat Cushion Cover.
Insert the Back Cushion Insert into the Back Cushion Cover.
Fluff the Seat Cushion and Back Cushion.



Step 8

Zip the Back Cushion to the Backrest, and put Seat Cushion on the Seat Base to complete the assembly of your Corner.



Congratulations!
Corner is ready!

Tips


For now, please keep the Metal Connectors aside and you may need them after you have completed the assembly of all modules (See Page 21 for details).

Assembly Manual


Ottoman



Parts




Note: Ensure all parts are present before beginning assembly.



Step 1

Take out the Seat Base and the Seat Cushion Cover from Ottoman Box.




Assembly Manual

Ottoman

Step 2


Remove the three wood sticks at the base of the seat to take out the hardware pack and vacuum-packed Seat Cushion Insert, then open these bags.

⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushion. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushion to return to the original thickness.




Step 3

Rotate the Legs firmly.



Step 4


Remove the velcro protectors on the top of the Seat.



Ottoman

Step 5

Insert the Seat Cushion Insert into the Seat Cushion Cover. Fluff the Seat Cushion and put it on the Seat Base to complete the assembly of your Ottoman.



Congratulations!
Ottoman is ready!

Care Instruction

- Avoid direct heat and sunlight.
- Periodically dust using a clean, dry and non-abrasive white cloth.
- If spills occur, immediately soak up any liquids with an absorbent cloth.

Note

Leather is a natural product. Both texture and color will vary slightly from hide to hide. Stretch marks, scars and insect bites will be visible and prove the high quality and naturalism of the leather.

Bonus Feature

You have now successfully assembled each module. Depending on the number of modules you purchased, you can reconfigure your Brendon set in various arrangements. Once you've selected your preferred configuration, use the provided metal connectors to secure the chairs together and help prevent them from sliding apart.

Step 1: Put the chairs side by side, with the base of the chair facing you.

Step 2: Attach the Metal Connectors by screwing on the legs firmly. You may have a few extra Metal Connectors left over. They are included in case you want to connect additional modules in the future. We recommend storing them in the little zip-top bag in case you decide to expand your Liam later.

Note: Ottoman is a standalone piece and cannot be attached to any chair with Metal Connectors.

