









# ASSEMBLY INSTRUCTIONS

## LUCINE PENDANT

Thank for your purchasing this quality product. Be sure to check all packing material carefully for small parts which may have come loose inside the carton during shipment. Identify and count all parts and compare with the parts list below.




| HARDWARE LIST |                                                                                      |                     |    |
|---------------|--------------------------------------------------------------------------------------|---------------------|----|
| A             |    | CANOPY              | 01 |
| B             |    | MOUNTING PLATE      | 01 |
| C             |    | PENDANT FRAME       | 01 |
| D             |    | GLASS               | 01 |
| E             |    | RING                | 01 |
| F             |    | PIPE 7 1/2"         | 01 |
| G             |  | PIPE 6"             | 02 |
| H             |  | PIPE 12"            | 02 |
| I             |  | PIPE 18"            | 02 |
| J             |  | BULB (NOT INCLUDED) | 01 |



# ASSEMBLY INSTRUCTIONS


## LUCINE PENDANT

A




Unlock the canopy screw to  
remove mounting plate

B



Fix mounting plate



C



Extension Pipes

# ASSEMBLY INSTRUCTIONS

## LUCINE PENDANT



**FINISHED**

# ASSEMBLY INSTRUCTIONS

## LUCINE PENDANT

### WIRING CONNECTIONS

1. Shut down the power at the breaker panel.
2. Connect wires:  
Ground wire: Connect fixture ground wire (green) to supply ground wire  
Neutral wire: Connect fixture neutral wire (white) to supply neutral wire  
Hot wire: Connect fixture hot wire (black) to supply hot wire
3. Make sure all connections are tight, then carefully tuck into the junction box

### IMPORTANT SAFETY INSTRUCTIONS

- Use an authorized and certified electrician for consultation and installation. Electricians must be familiar with commercial-type applications of chandeliers.
- It is recommended to use 1 x 60 watt maximum Type A standard Bulb

### WARNINGS

When unpacking, be careful not to pull wires, as a bad connection may result. Do not connect electricity until your fixture is fully assembled. Do not touch or look directly at the Bulb when the fixture is illuminated. Keep flammable materials away from lit Bulb.

THIS PRODUCT IS NOT A TOY AND HAS NO PLAY VALUE.

### STRANGULATION HAZARD

Keep cord at least 3 feet away from cribs, bassinets, and toddler beds.  
Keep out of reach of children under 3 years of age.