

**MODEL: IG10600005**



OWNER'S MANUAL

# 8'x8' Coastal Dream Pavilion

## TABLE OF CONTENTS

ASSEMBLY GUIDE.....	02
USING YOUR PRODUCT.....	04

May 20, 2024

## QUESTIONS?



E-mail: [support@modernshade.org](mailto:support@modernshade.org)




































Toll Free: 1-888-666-3070





















Mon-Fri: 9:00 ---17:00 PST.



















# ASSEMBLY GUIDE

## PARTS LIST

<b>A1</b> Post 1 (1 piece) 	<b>A2</b> Post 2 (1 piece) 	<b>A3</b> Post 3 (1 piece) 	<b>A4</b> Post 4 (1 piece) 	<b>A5</b> Post 5 (1 piece) 	<b>A6</b> Post 6 (1 piece) 
P0008008701	P0008008702	P0008008703	P0008008704	P0008008705	P0008008706
<b>A7</b> Post 7 (1 piece) 	<b>A8</b> Post 8 (3 pieces) 	<b>A9</b> Post 9 (3 pieces) 	<b>B1</b> Foot Base 1 (3 pieces) 	<b>B2</b> Foot Base 2 (2 pieces) 	<b>D1</b> Cross Beam 1 (8 pieces) 
P0008008707	P0008008708	P0008008709	P0008008710	P0008008711	P0008008712
<b>D2</b> Cross Beam 2 (4 pieces) 	<b>D3</b> Cross Beam 3 (4 pieces) 	<b>D4</b> Cross Beam 4 (4 pieces) 	<b>E</b> Roof Rib (4 pieces) 	<b>F1</b> Middle Cross Beam 1 (4 pieces) 	<b>F2</b> Middle Cross Beam 2 (4 pieces) 
P0008008713	P0008008714	P0008008715	P0008008716	P0008008717	P0008008718
<b>F3</b> Middle Cross Beam 3 (4 pieces) 	<b>F4</b> Middle Cross Beam 4 (4 pieces) 	<b>F5</b> Middle Cross Beam 5 (4 pieces) 	<b>F6</b> Middle Cross Beam 6 (4 pieces) 	<b>F7</b> Middle Cross Beam 7 (4 pieces) 	<b>G1</b> Shelf 1 (1 piece) 
P0008008719	P0008008720	P0008008721	P0008008722	P0008008723	P0008008724
<b>G2</b> Shelf 2 (1 piece) 	<b>H1</b> Decoration Panel 1 (4 pieces) 	<b>H2</b> Decoration Panel 2 (1 piece) 	<b>H3</b> Decoration Panel 3 (2 pieces) 	<b>H4</b> Decoration Panel 4 (2 pieces) 	<b>H5</b> Decoration Panel 5 (2 pieces) 
P0008008725	P0008008726	P0008008727	P0008008728	P0008008729	P0008008730
<b>H6</b> Decoration Panel 6 (2 pieces) 	<b>H7</b> Decoration Panel 7 (2 pieces) 	<b>H8</b> Decoration Panel 8 (2 pieces) 	<b>J1</b> Connector 1 (4 pieces) 	<b>J2</b> Connector 2 (4 pieces) 	<b>J3</b> Connector 3 (4 pieces) 
P0008008731	P0008008732	P0008008733	P0008008734	P0008008735	P0008008736

<b>J4</b> Connector 4 (24 pieces) 	<b>J5</b> Connector 5 (1 piece) 	<b>J6</b> Connector 6 (4 pieces) 	<b>J7</b> Connector 7 (4 pieces) 	<b>J8</b> Connector 8 (1 piece) 	<b>J9</b> Connector 9 (2 pieces) 
P0008008737	P0008008738	P0008008739	P0008008740	P0008008741	P0008008742
<b>J10</b> Connector 10 (2 pieces) 	<b>J11</b> Connector 11 (2 pieces) 	<b>K1</b> Roof Border 1 (4 pieces) 	<b>K2</b> Roof Border 2 (4 pieces) 	<b>L1</b> Roof Cover 1 (4 pieces) 	<b>L2</b> Roof Cover 2 (1 piece) 
P0008008743	P0008008744	P0008008745	P0008008746	P0008008747	P0008008748
<b>M1</b> Roof Plate 1 (4 pieces) 	<b>M2</b> Roof Plate 2 (4 pieces) 	<b>M3</b> Roof Plate 3 (4 pieces) 	<b>M4</b> Roof Plate 4 (4 pieces) 	<b>N</b> Hook (1 piece) 	<b>P</b> Electrical Power Cover (1 piece) 
P0008008749	P0008008750	P0008008751	P0008008752	P0008008594	P0008008595

## HARDWARE

<b>AA</b> Bolt M5*20 (8+1 pieces) 	<b>BB</b> Bolt M5*30 (28+2 pieces) 	<b>CC</b> Bolt M6*20 (250+10 pieces) 	<b>DD</b> Bolt M6*45 (16+1 pieces) 	<b>EE</b> Bolt M6*55 (24+2 pieces) 	<b>FF</b> Bolt M6*65 (12+1 pieces) 
H0008008117	H0008008118	H0008008036	H0008008016	H0008008103	H0008008119
<b>GG</b> Bolt M8*20 (18+1 pieces) 	<b>JJ</b> M5 Flat Washer (36+2 pieces) 	<b>KK</b> M6 Flat Washer (302+13 pieces) 	<b>LL</b> M8 Flat Washer (18+1 pieces) 	<b>MM</b> M6 Sealant Washer (8+1 pieces) 	<b>NN</b> Concrete Anchor M6*60 (10 pieces) 
H0008008120	H0008008056	H0008008057	H0008008058	H0008008060	H0008008095
<b>PP</b> Double Open End Wrench M5/M6 (2 pieces) 	<b>QQ</b> Double Open End Wrench M6/M8 (2 pieces) 	<b>RR</b> M6 Allen Key with Screw Driver (1 piece) 	<b>SS</b> Plastic Cap (198+20 pieces) 	<b>TT</b> Bolt M3*9 (4+1 pieces) 	<b>UU</b> M6 Allen Key (1 piece) 
H0008008121	H0008008062	H0008008132	H0008008130	H0008008092	H0008008133

### IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

### SAFETY ALERT KEY

#### **⚠ DANGER**

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

#### **⚠ CAUTION**

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

#### **⚠ WARNING**

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

#### **NOTICE**

Indicates information considered important, but not hazard-related (e.g. messages related to property damage).



# ASSEMBLY INSTRUCTIONS

- Please carefully unpack each of the components and hardware. check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

## ⚠ CAUTION


Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.

### STEP 01 Slide foot base **B1** into post **A1**.

Use two (2) **[CC]** bolts, two (2) **[KK]** flat washers and two (2) **[SS]** plastic caps to attach one (1) foot base **B1** to post **A1**. Repeat with the posts **A2** and **A3**.

**[CC]** x 6  
**[KK]** x 6  
**[SS]** x 6




### STEP 02 Slide foot base 2 **B2** into post **A7**.

Use two (2) **[CC]** bolts, two (2) **[KK]** flat washers and two (2) **[SS]** plastic caps to attach one (1) foot base **B2** to post **A7**. Repeat with the foot base **B2** to post **A6**.


Slide post **A5** and **A7** onto connector 11 **J11**.

Use six (6) **[CC]** bolts, six (6) **[KK]** flat washers and six (6) **[SS]** plastic caps to attach post **A5** and **A7** to connector **J11**. Repeat with posts **A4** and **A6**.


**[CC]** x 16  
**[KK]** x 16  
**[SS]** x 16




**STEP 03** Use six (6) [GG] bolts and six (6) [LL] flat washers to attach one (1) post A1 to shelf G1 and G2. Repeat with post A2 and A3 to shelf G1 and G2.




**STEP 04** Use four (4) [CC] bolts and four (4) [KK] flat washers to attach one (1) connector 9 J9 to post A1 and shelf G1. Repeat with the other connector J9 to post A3 and shelf G2. Use four (4) [CC] bolts and four (4) [KK] flat washers to attach one (1) connector 10 J10 to post A1 and shelf G2. Repeat with the other connector J10 to post A2 and shelf G1. Use four (4) [CC] bolts and four (4) [KK] flat washers to attach one (1) connector 8 J8 to shelf G1 and G2.



**STEP 05** Use eight (8) [CC] bolts, eight (8) [KK] flat washers and eight (8) [SS] plastic caps to attach one (1) decoration panel 1 H1 to post A8 and A9. Repeat with the other two (2) decoration panel H1 to post A8 and A9.




**STEP 06** Use eight (8) [CC] bolts, eight (8) [KK] flat washers and eight (8) [SS] plastic caps to attach one (1) decoration panel 1 H1 to post A4 and A5. Use eight (8) [CC] bolts, eight (8) [KK] flat washers and eight (8) [SS] plastic caps to attach one (1) decoration panel 2 H2 to post A6 and A7.




**STEP 07** Use four (4) [FF] bolts and four (4) [KK] flat washers to attach one (1) post assembly [A8 | A9] to shelf [G1] and [G2]. Repeat with the other two (2) post assemblies [A8 | A9] to shelf [G1] and [G2].


[FF] x 12  
[KK] x 12



**STEP 08** Flip the frame. Connect the decoration panel 3 [H3] to post [A1] and [A2]. Repeat with the panel 3 [H3] to post [A1] and [A3].




**STEP 09** Connect the decoration panel 4 [H4] to post [A1] and [A2]. Repeat with the other decoration panel [H4] to post [A1] and [A3]. Connect the decoration panel 5 [H5] to post [A1] and [A2]. Repeat with the other decoration panel [H5] to post [A1] and [A3]. Connect the decoration panel 6 [H6] to post [A1] and [A2]. Repeat with the other decoration panel [H6] to post [A1] and [A3]. Connect the decoration panel 7 [H7] to post [A1] and [A2]. Repeat with the other decoration panel [H7] to post [A1] and [A3]. Connect the decoration panel 8 [H8] to post [A1] and [A2]. Repeat with the other decoration panel [H8] to post [A1] and [A3].



**STEP 10** Slide two (2) cross beam 1 [D1] onto connector 1 [J1]. Use two (2) [CC] bolts, two (2) [DD] bolts, four (4) [EE] bolts and eight (8) [KK] flat washers and two (2) [SS] plastic caps to attach cross beam assembly [D1 | J1] to post assembly [A8 | A9].

[CC] x 2  
[DD] x 2  
[EE] x 4  
[KK] x 8  
[SS] x 2



**STEP 11** Slide one (1) cross beam 2 **D2** onto connector 1 **J1** .

Use one (1) **CC** bolts and one (1) **KK** flat washers to attach cross beam **D2** to connector **J1** .

Slide two (2) cross beam 1 **D1** and two (2) cross beam 2 **D2** onto connector 1 **J1** .

Use four (4) **CC** bolts, four (4) **EE** bolts, two (2) **DD** bolts, ten (10) **KK** flat washers and two (2) **SS** plastic caps to attach cross beam assembly **D2 J1** to post assembly **A8 A9** .

Slide one (1) cross beam 2 **D2** and two (2) cross beam 1 **D1** onto connector 1 **J1** .

Use three (3) **CC** bolts, four (4) **EE** bolts, two (2) **DD** bolts, nine (9) **KK** flat washers and two (2) **SS** plastic caps to attach cross beam assembly **D2 J1** to post assembly **A8 A9** .


**CC** x 8

**DD** x 4

**EE** x 8


**KK** x 20

**SS** x 4




**STEP 12** Slide two (2) cross beam 1 **D1** onto connector 1 **J1**.  
Use two (2) **CC** bolts, four (4) **EE** bolts, two (2) **DD** bolts, eight (8) **KK** flat washers and two (2) **SS** plastic caps to attach cross beam assembly **D1 J1** to post assembly **A4 A5**.

**CC** x 2  
**DD** x 2  
**EE** x 4  
**KK** x 8  
**SS** x 2




**STEP 14** Use four (4) **CC** bolts, four (4) **KK** flat washers and four (4) **SS** plastic caps to attach one (1) connector 7 **J7** to cross beam **D1** and **D2**.  
Repeat with the other three (3) connector **J7**.

**CC** x 16  
**KK** x 16  
**SS** x 16




**STEP 13** Slide two (2) cross beam 2 **D2** onto connector 1 **J1**.  
Use two (2) **CC** bolts and two (2) **KK** flat washers to attach one (1) cross beam 2 **D2** to connector 1 **J1**.  
Repeat with the other cross beam **D2**.

**CC** x 4  
**KK** x 4



**STEP 15** Slide one (1) cross beam 3 **D3** and one (1) cross beam 4 **D4** onto connector 2 **J2**.  
Use four (4) **CC** bolts and four (4) **KK** flat washers to attach cross beam **D3 D4** to connector **J2**.  
Repeat with the other three cross beam **D3** and **D4**.

**CC** x 16  
**KK** x 16






**STEP 16** Use two (2) [EE] bolts and two (2) [KK] flat washers to attach one (1) cross beam assembly [D3] [D4] to post [A5] and [A8].

Use two (2) [EE] bolts and two (2) [KK] flat washers to attach one (1) cross beam assembly [D3] [D4] to post [A8] and [A9].

Use two (2) [EE] bolts and two (2) [KK] flat washers to attach one (1) cross beam assembly [D3] [D4] to post [A4] and [A9].


Use two (2) [EE] bolts and two (2) [KK] flat washers to attach one (1) cross beam assembly [D3] [D4] to post [A8] and [A9].



**STEP 17** Use two (2) [CC] bolts, two (2) [KK] flat washers and two (2) [SS] plastic caps to attach one (1) connector 3 [J3] to cross beam [D3] and [D4].


Use two (2) [CC] bolts, two (2) [KK] flat washers and two (2) [SS] plastic caps to attach one (1) connector 6 [J6] to cross beam [D3] and [D4].

Repeat with the other three (3) connector [J3] and [J6].




**STEP 18** Use two (2) [CC] bolts, two (2) [KK] flat washers and two (2) [SS] plastic caps to attach one (1) roof rib [E] to connector [J3].

Repeat with the other three (3) roof rib [E].



**STEP 19** Use four (4) [CC] bolts, four (4) [KK] flat washers and four (4) [SS] plastic caps to attach one (1) connector 5 [J5] to roof ribs [E].



**STEP 20** Use four (4) [CC] bolts, four (4) [KK] flat washers and four (4) [SS] plastic caps to attach one (1) connector 5 [J5] to middle cross beams [F1].


Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) middle cross beams [F1] to cross beam assembly [D3] [D4].

Repeat with the other three (3) middle cross beams [F1].

[CC] x 8

[KK] x 8

[SS] x 8



**STEP 21** Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector 4 [J4] to middle cross beam 7 [F7].

Repeat with the other three (3) connector [J4] to middle cross beam [F7].

Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector 4 [J4] to middle cross beam 6 [F6].

Repeat with the other three (3) connector [J4] to middle cross beam [F6].

Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector 4 [J4] to middle cross beam 5 [F5].

Repeat with the other three (3) connector [J4] to middle cross beam [F5].

Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector 4 [J4] to middle cross beam 4 [F4].

Repeat with the other three (3) connector [J4] to middle cross beam [F4].

Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector 4 [J4] to middle cross beam 3 [F3].

Repeat with the other three (3) connector [J4] to middle cross beam [F3].


Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector 4 [J4] to middle cross beam 2 [F2].

Repeat with the other three (3) connector [J4] to middle cross beam [F2].

[CC] x 24

[KK] x 24

[SS] x 24






**STEP 22** Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) middle cross beam 6 [F6] to cross beam [D4].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector [J4] on middle cross beam 6 [F6] to roof rib [E].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) middle cross beam 4 [F4] to cross beam [D4].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector [J4] on middle cross beam 4 [F4] to roof rib [E].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) middle cross beam 2 [F2] to cross beam [D4].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector [J4] on middle cross beam 2 [F2] to roof rib [E].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) middle cross beam 3 [F3] to cross beam [D3].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector [J4] on middle cross beam 3 [F3] to roof rib [E].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) middle cross beam 5 [F5] to cross beam [D3].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector [J4] on middle cross beam 5 [F5] to roof rib [E].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) middle cross beam 7 [F7] to cross beam [D3].  
 Use one (1) [CC] bolt, one (1) [KK] flat washer and one (1) [SS] plastic cap to attach one (1) connector [J4] on middle cross beam 7 [F7] to roof rib [E].  
 Repeat with the other three (3) middle cross beam [F2], [F3], [F4], [F5], [F6] and [F7].

[CC] x 48

[KK] x 48


[SS] x 48



**STEP 23** Use one (1) [AA] bolts and one (1) [JJ] flat washers to attach one (1) roof border 1 [K1] to roof rib [E].  
 Repeat with the other three (3) roof border [K1].  
 Use one (1) [AA] bolts and one (1) [JJ] flat washers to attach one (1) roof border 2 [K2] to roof rib [E].  
 Repeat with the other three (3) roof border [K2].

[AA] x 8

[JJ] x 8




**STEP 24** Use seven (7) **[BB]** bolts, seven (7) **[JJ]** bolts, four (4) **[CC]** bolts and four (4) **[KK]** flat washers to attach roof plate **M1** **M2** **M3** **M4** to roof border **K1** **K2**. Repeat with the other three (3) roof plate **M1** , **M2** , **M3** and **M4** .

**[CC]** x 16

**[KK]** x 16

**[BB]** x 28

**[JJ]** x 28




**STEP 25** Use two (2) **[DD]** bolts, two (2) **[KK]** flat washers, two (2) **[MM]** sealant washers and two (2) **[SS]** plastic caps to attach roof cover 1 **L1** to roof rib **E**. Repeat with the other three (3) roof cover **L1** .

**[DD]** x 8


**[KK]** x 8

**[MM]** x 8

**[SS]** x 8




**STEP 26** Use hook **N** to attach connector **J5** to roof cover 2 **L2** .




**STEP 27** Use four (4) [TT] bolts to attach electrical power cover **P** to post **A1**.

[TT] x 4



**STEP 28** Use two (2) [NN] expansion bolts to anchor each post foot base **B1** **B2**.

[NN] x 10



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 28, on page 14 in the assembly instructions is not properly completed, this will void the warranty.



**WARNING! If your gazebo is not properly anchored, damage could occur.** It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.

WOOD	CONCRETE
<p>Anchors should be drilled into joists or reinforced blocking (not only deck boards).</p>	<p>Pre-drill holes for appropriately sized concrete anchors.</p>
<p>Recommended Hardware: Expansion Bolt</p>	<p>Recommended Hardware: Expansion Bolt</p>

If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

#### CAUTION

DO NOT climb or walk on roof for any reason.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
  - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
  - As load bearing support for a building, structure, heavy objects or swings.
  - Used in structures that trap wind, rain or snow that would create extra load on the product.
  - Accumulated snow must be removed from roof.
  - DO NOT climb or walk on roof for any reason.

### LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

