




Product Installation Instructions







Ax1




Bx2




Cx1




Dx1




Ex1




Fx1




Gx1




Hx1



Ix1
















Jx1








1


Accessories list

①		Two In One Screw (6x28mm)	20pcs +2pcs
②		Two In One Nut (10x12mm)	20pcs +2pcs
③		Wood Chipping (6x30mm)	8pcs +2pcs
④		Screw & Handle (4x16mm)	2pcs +1pcs 1pcs
⑤		Non-slip pads	4pcs
⑥		Rubber strip guide & Screw (4x16mm)	8pcs +2pcs 2pcs
⑦		Screw (6x45mm)	4pcs
⑧		Iron bar	2pcs
⑨		Fixing Clip & Screw (3x16mm)	4pcs +2pcs
		remote control	1pcs
		AC/DC Adapter (12V=3.0A)	1pcs
<div>   </div> <div> 1pcs Double-head screwdriver, use as required </div> <div>2</div>			

Product structure decomposition




1		8pcs	4		1pcs		2pcs
2		8pcs					




Use parts ① and ②




Step1



Step2



Step3




Use a screwdriver to lock in the direction of the "+" sign

Disassemble along the direction of "-" sign

Step 1


①

x4





5


Step 2




Step 3













Step 4




Step 5




①		12pcs	⑤		4pcs	⑧		2pcs
②		12pcs	⑥		2pcs	⑨		4pcs
③		8pcs	⑦		4pcs			1pcs





Step 6



Step 7



Step 8






2



x2

Step 9



2



x2


7




x2

10


Step 10




Step 11



Step 12




Step 13




Step 14



Snap the backplane into the slot






Step 15




Step 16




Step 17




Step 18





Step 19

8  x2




Step 20


9




Step 21



Step 22



x1





User's Guide

- 1.To use this product, please plug it into a 12V DC power supply.
2. If there is no touch response suddenly,
Re-plug the power to reset the touch static electricity.
3. If bubbles appear on the panel, remove the protective film.

Product Introduction

Smart RGB large box is powered by USB-A and Type-C,
meeting the general charging needs of all phone models.
Equipped with a built-in human body sensor,
it can detect objects approaching within a range of 2 meters
and achieve intelligent sensing to turn on lights.
And with 24 colors light, fast and wireless charging function is 15W .

This touch button enables the switch of radar sensing function
A.touch this button once to turn on the radar sensing function
(indicator light on). After the person leaves or remains stationary
for more than 30 seconds, the light strip goes out; people and
objects within a range of 2 meters move will light up the light strip.
B. Long press this button for 0.5 seconds to turn off the human body
sensing function (the indicator light goes out).
At this point, Keep the light strip as it was
before turning off and no longer be affected by
human and object activities.
By default, radar sensing is enabled when powered on.

This area is for wireless charging function,
supports fast charging with a maximum power of 15W.
When charging,
the product should be placed the center of
the identification to maximize the charging efficiency.
After powering on,
the wireless charging function is enabled by default.

USB-A Output Port


Type-C Output Port



This touch button achieves functions such as
light strip on /off, light color switching,
and adjust the brightness of the light.

- A. Touch this button can turn on or off the light
(the indicator light will turn on or goes out) .
- B.With the circle of light, long press this
button to achieve to adjust brightness of
the light' s function. White light is enabled
by default when powered on.

This area is the color switch function,
you can click or slide to any color circle
position to achieve color switch.
The center hexagon of the color circle
is marked as the dynamic phantom
color mode which have 5 magic color modes.



Pull out the plastic card before using it

LED Lights Controller-use instructions

- 1.After inserting the DC power adapter you can use the remote control to control the lights.Press The "on /off" key to turn on the light and it will enter the static light mode.
2. There are 7 RGB Dynamic Modes. You can press the "MODE+/-" key to choose dynamic colors that you preferred and press the "Speed+/-" key to adjust color change speed.
3. There are 7 static colors:White/Red/Green/Blue/yellow/ice blue/ pink light.You can press the "Brightness +/-" key to adjust the brightness.
4. You can press the "lock" key to fix the color you like.When you press the "Switch Dynamic /Static Mode" the light will change between dynamic mode and static mode