Installation Instruction



Assembling

Estimated time for assembly



45:00

What you need


- Use the packaging carton as a working surface to prevent product damage during assembly
- Phillips head screwdriver



Weight Limitation




100 I 35 lbs table top lbs per



What' included

Code Description	Qty
A Cam Bolt M6X35MM	72
B Cam Lock 15X10MM	72
C Wooden Dowel M8X30MM	16
D Screw M4X40MM	48
E Screw M4X8MM	9
F The metal plate	4
G Nylon Strap	2
H Screw M3.0X14MM	90
I Metal shake handshandle	9
J The back button	16
K Anchor	2
L MATS	4
M Adjustable foot pads	2
N Screw M3.5X14MM	24
O Hole position sticker	72
Q The metal plate	2
CL Left mother extended orbit	9
CR Right mother extended orbi	it 9
DL Left public extension track	9
DR Right public extends track	9

The Hardwares




IMPORTANT:


- 1.Do not tighten bolts / screws completely until all bolts / screws are lined up and inserted into holes.
- 2.Do not over tighten screws and bolts to avoid stripping
- 3.Please use hand tools to assemble this product. Do not use power tools.


Included Accessories


Code	Description	Qty
1	Cabinet Top	1
2	Bottom Panel	1
3	Left Side Panel	1
4	Right Side Panel	1
5	Back Panel	2
6	Drawer left panel	9
7	Drawer right side panel	9
8	The drawer bottom	9
9	After the drawer board	9
10	Solid wood feet	4
11	Medium solid wood feet	2
12	Drawer panel	9
13	Drawer face trim board	6
14	ack stiffener	1
15	Middle Division Panel	2


The Accessoriess

































Step 19










Step 23





If the center position of the cabinet is too high or too low due to uneven bottom plates or other reasons, adjust the adjustable foot pads on feet 11 to adjust the upper and lower height

