

CONTENTS

01	WARNING	01
02	SAFETY INFORMATION	01
03	ASSEMBLY PARTS AND TOOL	02
04	ASSEMBLY INSTRUCTIONS	03
05	PRODUCT FEATURES	10
06	LIMITED WARRANTY	11

WARNING

Please read the instructions carefully and follow the assembly steps.

To ensure proper assembly, please follow all steps and use all parts provided. Not following this warning may result in serious injury to you or others.

To prevent misalignments, keep the screws loose and do not tighten them until they are all in their correct positions.

Avoid overtightening or forcing the screws, as this could cause them to break, strip, or damage the threads of the holes.

Using the wrong size of screws for a particular part could cause damage to the screw or the part.

Please lubricate all moving parts regularly and tighten all bolts and screws every 6 months, or as needed.

SAFETY INFORMATION

WEIGHT CAPACITY FOR SEATING: 300LBS

Sit in the center of the chair with your back against the backrest

Do not sit at the front edge of the chair

Do not stand on the chair

Do not use the chair with more than one person















Do not push the chair around when a person is sitting in it

Do not push down on the backrest when a person is reclined

Do not place all your weight on the backrest only

ASSEMBLY PARTS AND TOOL

PLEASE MAKE SURE ALL THE PARTS ARE INCLUDED.

 Caster *5	 Star Base *1	 Gas Lift *1	 Gas Lift Cover*1
 Seat Cushion *1	 Seat Plate *1	 Plastic Cover *1	 Back Cushion*1
 Arms *1	 Bolts M6*20mm *6	 Bolts M6*30mm *2	 Bolts M8*25mm *8
 Wrench * 1	 Cap *8		

BEFORE YOU GET STARTED, A FEW POINTERS:


Having a friend to help makes assembly extra-easy

Mind the important safety information

ASSEMBLY INSTRUCTIONS

Tips: Please do not 100% tighten all the bolts until the chair is fully assembled, just 50% is OK, make it has space to adjust the chair.


- STEP 1** Turn Star Base B upside down, press Five Casters A into the holes at the end of each base leg.
Then insert Gas Lift C and Gas Lift Cover D into Star Base B.



ASSEMBLY INSTRUCTIONS


- STEP 2** Attach Seat Plate F to the bottom of Seat Cushion E, using Two M6*30mm Bolts K for frontside, Two M6*20mm Bolts J for backside, then tighten by Wrench M.

Note: There is a "FRONT" Label on the seat cushion and seat plate to tell the direction.



ASSEMBLY INSTRUCTIONS


- STEP 3** Attach Plastic Cover G onto the seat plate, using Four M6*20mm Bolts J and tighten by Wrench M.



ASSEMBLY INSTRUCTIONS


- STEP 4** 1. Push the seat part down onto finished base firmly until the connection is secure.
2. Attach Two Arms I to Seat Cushion E, align the screw holes on the arms with seat cushion, using Two M8*25mm Bolts L for each side, tighten the bolts to 50% by Wrench M.

Note: Arms are marked with Letter "L" (left) or "R" (right) to show which sides they should be placed on.




ASSEMBLY INSTRUCTIONS

- STEP 5** Lay Back Cushion H on the seat cushion with the top of the cushion toward the front. Attach Back Cushion H to the arms by inserting Two M8*25mm Bolts L in the upper holes with Wrench M, just 50% is OK.



ASSEMBLY INSTRUCTIONS

- STEP 6** 1.Rotate Back Cushion H up, align the another Two lower screw holes on the back cushion and arms, using One M8*25mm Bolt L for each side and fully tighten it by Wrench M.
2. Balance both side of the chair, fully tighten all the other bolts.



ASSEMBLY INSTRUCTIONS

- STEP 7** Press Eight Caps N onto the screw holes on the arms.
Now your chair is successfully assembled.



PRODUCT FEATURES


Pneumatic Seat Height Adjustment

Pulling the lever upwards enables height adjustment of the seat, then the seat can be locked at a fixed height by releasing the lever.



Rock Tension Adjustment

Simply adjust the knob counterclockwise to tighten the tension of rocking. Or loosen the tension by turning the knob clockwise whenever needed.



Seat Back Locking Mechanism

Simply press the lever down to lock the seat in an upright position.



Adjustable Lumbar Support

It has Four Position to lock, adjust it by your hand to the desired position. Pull it up to the top height, then it will drop to the original position.



LIMITED WARRANTY

promises to repair or replace any chair that is found to be defective in material or workmanship within one year from the date of original purchase, as long as you, the original purchaser, still own it. This is your sole and exclusive remedy under this warranty, subject to the provisions outlined below.

EXCLUSIONS

This warranty does not apply to, and no other warranty applies to:

- Normal wear and tear, which is to be expected over the course of ownership.
- Misuse, abuse, or excessive use of the product.
- Modifications or attachments to the product that are not approved.
- Products that were not installed, used, or maintained in accordance with the product instructions and warnings.
- Products used for rental purposes or unauthorized retail activities.

Seating Usage: Normal use for seating is defined as equivalent to a single shift, forty-hour (40) workweek. If the seating product is used in a manner exceeding this, the applicable warranty period will be proportionately reduced.

RETURN POLICY

We offer a 30-day return policy, meaning that all products purchased through this website may be returned to us within that timeframe. You must contact us within 30 days of receiving the product(s), and they must be returned to us without any undue delays.

CONDITIONS:

- Returned products must be in the same condition as received and returned in their original packaging.
- If the product is not faulty (i.e., if you change your mind or are unhappy with the product for another reason), you are responsible for the cost of return shipping. You must ensure the package arrives safely to us, so we recommend using a courier service that offers tracking.

LIMITED WARRANTY

- If the product is faulty when received, please contact us, and we will assist you with the return, covering the shipping costs in this case.
- We reserve the right to offer partial refunds for returned products that are not in unused condition, are damaged, or have missing parts not due to our error.

HOW RETURNS WORK

To request a return, please fill out the contact form on our website and attach a copy of your invoice as proof of purchase, along with the reason for the return.

We will provide the return address for the product as soon as possible. Once the returned product is received and inspected, we will provide a specific resolution.

If the return is approved, the refund amount will be automatically credited to your original payment method.

MAINTENANCE INSTRUCTIONS

	Dust and clean up spills immediately using a clean, non-colored, lint-free cloth.		Use a mild soap solution and a damp cloth to remove stains.
	Do not place hot items directly on the furniture surface without using a protective barrier.		For indoor use only. Do not place the furniture outside.
	Do not place furniture in direct sunlight.		Do not write on the furniture surface without a padded barrier to protect it.
	Do not clean furniture with harsh cleaners or polishes.		Do not place furniture near heating or cooling vents (keep at least 3 feet away)