

















Patio Bar Table
Instruction manual




A		1	J		1
B		1	K		1
C		1	L		1
D		1	M	 M6*35mm	4
E		1	N	 M6*40mm	18
F		1	O		22
G		1	P		2
H		1	Q		1
I		1			

① Attach (C) to seat (A)(B)with 4pcs bolts N and 4pcs washers O, using Allen wrench Q



N	M6*40mm	4
O		4


② Attach (D) to seat (A)(B)(E)with 6pcs bolts N and 6pcs washers O, using Allen wrench Q



N	M6*40mm	6
O		6


Note: Do not fully tighten any bolts until chair assembly is complete. Failure to follow these instructions may cause the bolt holes to be misaligned during assembly

③ Attach (L) to seat (A)(B)(E)with 6pcs bolts N and 6pcs washers O, using Allen wrench Q



N	M6*40mm	6
O		6


④ The(F)(G)put it into the hole (L).Attach (D)to(F)(G) with 2pcs bolts N . 2pcs washers O and 2pcs plastic gaskets P,using Allen wrench Q. Put in(H)



N	M6*40mm	2
O		2
P		2


Note: Do not fully tighten any bolts until chair assembly is complete. Failure to follow these instructions may cause the bolt holes to be misaligned during assembly

⑤ Attach (I) to seat (A)(B)with 4pcs bolts M and 4pcs washers O, using Allen wrench Q



M	M6*35mm	4
O		4

⑥ Put the(J)(K)



Note: Do not fully tighten any bolts until chair assembly is complete. Failure to follow these instructions may cause the bolt holes to be misaligned during assembly