


ASSEMBLY INSTRUCTION

BUNK BED STORAGE STAIR










Follow the information on the warning appearing on the upper bunk end structure and on the carton.

Do not remove warning label from bed.






The user of water or sleep flotation mattresses is prohibited.





Component List

A Step Twin Board-LSF	B Step Twin Board-Middle	C Step Twin Board-RSF	D Upper Guard Rails
			
1 PC	1 PC	1 PC	2 PCS
E Bottom Side Rail	F Upper / Lower Twin Slats	G Staircase With Drawers	H Short Guard Rail
			
2 PCS	2 SETS (13PCS/SET)	1 PC	1 PC
I Back Panel			
			
1 PC			

Hardware List (Hardware are packed For Assembly)


J Bolt 1/4" x 3 3/16"	K Washer 1/4" x 7/8" x 1/2" x 3/8"	L Wood Dowel Ø10 x 1 3/4"	M Bolt 1/4" x 3 1/8"
			
16 PCS	16 PCS	9 PCS	4 PCS
N Bolt 1/4" x 3 1/8"	O Bolt 1/4" x 2"	P Screw 5/32" x 1 3/8 "	Q Allen Key M4 x 2 3/8" x 1" x 1"
			
2 PCS	1 PC	52 PCS	1 PC

Hardware List (Hardware are packed For Assembly)


R Bolt 1/4" x 1"	S Bolt 1/4" x 1 3/8"	T Allen Key M4 x 2 3/8" x 1" x 1"
		
10 PCS	4 PCS	1 PC

This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.


1 Insert wood dowel (L) to the holes as shown in the drawings.




2 Join the upper guard rails (D) & bottom side rail (E) to step twin board-LSF (A) and step twin board-middle (B) by using bolt (J), washer (K) and bolt (M). After that tighten bolts by allen key (Q).




- 3** Insert wood dowel (L) to the holes on short guard rail (H). Install the short guard rail (H) on step twin board-middle (B) by using bolt (N) and bolt (O). After that tighten bolts by allen key (Q).




- 4** Install the staircase with drawers (G) on step twin board-middle (B) by using bolt (R). Install the back panel (I) on step twin board-middle (B) and staircase with drawers (G) by using bolt (S). After that tighten bolts by allen key (T).




- 5** Install the step twin board-RSF (C) on staircase with drawers (G) and back panel (I) by using bolt (R). Install the back panel (I) on step twin board-middle (B) and staircase with drawers (G) by using bolt (S). After that tighten bolts by allen key (T).




- 6** Put upper / lower twin slats (F) for bed and use screw (P) to tighten all slats by screwdriver (not provide) as below picture.



-
- 7** Put 2pcs storage box under the bunk bed storage stair as below picture.



-
- 8** Put twin trundle under the bunk bed storage stair as below picture.



Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.

IMPORTANT NOTICE

IMPORTANT NOTICE

-For Twin/Full bunk bed :

Use only mattress which is 74" long and 38" wide on upper bunk.

Use only mattress which is 74" long and 54" wide on lower bunk.

-For Twin/Twin bunk bed :

Use only mattress which is 74" long and 38" wide on upper bunk.

Use only mattress which is 74" long and 38" wide on lower bunk.

-Ensure thickness of mattress does not exceed 8" and mattress is at least 5" below upper edge of guardrails.

SAFETY WARNING

-Do Not remove warning label from bed.

-Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.

-Surface of mattress must be at least 5" (127mm) below the upper edge of guardrails.

-Do not allow children under 6 years of age to use the upper bunk.

-Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.

-Do not allow horseplay on or under the bed and prohibit jumping on the bed.

-Always use the ladder for entering and leaving the upper bunk.

-Do not use substitute parts-Contract the manufacturer or dealer for replacement parts.

-Use of night light may provide added safety precaution for a child using the upper bunk.

-Always use guardrails on both long sides of the upper bunk. If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and wall.

-The used of water or sleep flotation mattress is prohibited.









STRANGULATION HAZARD

-Never attach or hang items to any part of the bunk bed that are not designed for use with the bed ; for example, but not limited to, hooks, belts, and jump ropes.


-Keep these instructions for future reference.

ASSEMBLY INSTRUCTION

TWIN TRUNDLE WITH 12PCS SLATS


A Trundle Front Panel	B Trundle Back Rail	C Panel With Caster	D Trundle Slats
			
1PC	1PC	2PCS	2 Sets(6pcs/Set)
E Wood Dowel Ø 8 x 1 3/16"	F Bolt 1/4"x 2 3/4"	G Washer 1/4"x7/8"x1/2"x3/8"	H Allen Key M4 x 2 3/8"x1"x1"
			
8PCS	4PCS	4PCS	1PC
I Screw 5/32"x 1 3/8 "			
			
24PCS			

DO NOT TIGHTEN BOLTS UNTIL COMPLETELY ASSEMBLED.




This page lists all the contents included in the box. Please take the time to identify the hardware as well as the individual components to this product. As you unpack and prepare for assembly, place the contents on a carpeted or padded area to protect them from damage.


1 Insert wood dowel (E) to the holes for panel with casters (C) shown in the drawings.



2 Install the panel with caster (C) with trundle front panel (A) and trundle back rail (B) by using bolt (F) and washer (G). After that tighten bolts by allen key (H).



-
- 3** Put trundle slats (D) for trundle use screws (I) , tighen all slats by screwdriver (not provide) as below picture.



Cleaning & Care

Treat surface with care. Surface is resistant to scratches but is not scratch resistant. Clean surfaces with a dry or damp soft cloth. Do not use abrasive cleaners. Hardware may loosen over time. Periodically check that all connections are tight.