
KY-YT001AM

STORAGE SHED INSTRUCTIONS



ABOUT PRODUCT ASSEMBLY

Do not assemble the storage shed on severe cold or strong windy days.

We would advise 2 person to assist in the assembly of the storage shed to secure parts in place.


Please check your package according to the PARTS LIST in the instructions to ensure that there are no missing or damaged before you starting assembly, kindly contact us if you find any wrong.

Please read instructions thoroughly prior to assembly, assemble all the parts according to the directions in this instructions, do not skip and steps

Our company provides extra hardware for use as spare parts for customer convenience. Please save the spare parts.

We would kindly advise you to follow the instructions in the manual to install, wrong assembly methods can result in damage to the inside of the hole to create links between the panels loose or unable to assembled properly.

LEVEL THE GROUND SURFACE




Level the ground surface before unpacking parts and beginning assembly.

REQUIRED TOOLS



PARTS NUMBER POSITION



ABOUT PRODUCT MAINTENANCE

This storage shed should be far away from the open flame.

Do not use the storage shed in extreme weather conditions.

Do not stack more than 20 kg items on the storage shed roof all the time in case deformation of the roof.

At regular check the storage shed to ensure that it's stable and assembly integrity has been maintained.

Please keep doors closed and locked outdoor when the storage shed is not in use long time to prevent wind damaged or damaged by animals or bad people.

Do not store hot items(recently used grills, blowtorches etc.),flammable or caustic chemicals in the storage shed.

Wash the storage shed with a mild soap and water if there is any stain on the storage shed. Do not use a stiff brush, bleach, ammonia or any other caustic cleaners, as these may damage the storage shed or could result in permanent staining of the plastic. This is not manufacturing defect and is not covered under warranty.

If the environment permits, install the storage shed in a cool place, as prolonged exposure to direct sunlight may deform the panel and accelerate aging.

Parts List

A Carton					
No.	Parts No.	Name	Material	Quantity	Specifications
1	GS0201001	Floor	HDPE	1	50.24*29.06*1.38 (inches)
2	GS0201008	Roof	HDPE	1	49.61*28.74*1.73 (inches)
B Carton					
No.	Accessories No.	Name	Material	Quantity	Specifications
3	GS0201002	Left back panel	HDPE	1	40.16*23.74*0.98 (inches)
4	GS0201003	Right back panel	HDPE	1	40.16*21.78*0.98 (inches)
5	GS0201004	Left side panel	HDPE	1	40.16*27.32*4.53 (inches)
6	GS0201005	Right side panel	HDPE	1	40.16*27.32*4.5 (inches)
7	GS0201006	Left door	HDPE	1	38.86*23.43*1.5 (inches)
8	GS0201007	Right door	HDPE	1	38.86*22.56*1.5 (inches)
9	GS0201014	Hinge	Metal	6	70x38x25 (mm)
10	GS0201015	L hinge folding assembly	Metal	1	35x25x9 (mm)
11	GS0201016	L-1	Metal	1	37x20x16 (mm)
12	GS0201017	L-2	Metal	1	39x20x20 (mm)
13	GS0201018	Latch-1	Metal	1	61x40x15 (mm)
14	GS0201019	Latch-2	Metal	1	88x43x13 (mm)
15	GS0201020	Support rod	Metal	1	310x66x8 (mm)
16	GS0201021	Support rod fixing piece	Metal	1	38x16x1.5 (mm)
17	GS0201022	Plastic bolts	Plastic	6	M9.5x25.5 (mm)
18	GS0201023	Plastic bolts	Plastic	3	M9.5x18.5 (mm)
19	GS0201028	Strengthen the block	Metal	12	58x18x1.2 (mm)
20	Y202333	M4x10	Stainless steel	12	M4x10 (mm)
21	Y202338	M5.5x19	Stainless steel	24	M5.5x19 (mm)
22	AP27003-30	Instructions	,	1	/
22	7.1.2.1000 00		,	'	,


please save the spare parts.

AP27003-31

Spare parts

23


Wall Panels and Floor



Doors and Roof Roof (GS0201008) Right door (GS0201007) Left door

(GS0201006)

Hardware

















Floor panel to install



Floor (GS0201001)













Strengthen the block (GS0201028)x4pcs

