



**Canopies**  
 European version



Canopy: nikel  
 Cable: black



Canopy: white  
 Cable: white



Canopy: white  
 Cable: black



Canopy: black  
 Cable: black

American version



Canopy: nikel  
 Cable: black



Canopy: white  
 Cable: white



Canopy: white  
 Cable: black



Canopy: black  
 Cable: black

**Lampshades**



Stitched beige  
 parchment



Red-amber  
 ribbon



Tile Raw  
 Color ribbon



Green Raw  
 Color ribbon



Natural ribbon



Black ribbon



Mustard Raw  
 Color ribbon




White linen\*  
 (MT1 / GT1 / GT3)

PT1



A

MT1



B

GT3



C

GT1



D



The conical shape group has multiple finishes and sizes. It consists of four sizes: PT1, MT1, GT1 and GT3, and has three different material options: parchment, ribbon or linen.

**General description:**

(A) Shade available in 7 finishes: Stitched beige parchment; natural, red-amber or black ribbon and tile, mustard or green Raw Color ribbon.

(B / C / D) Shade available in 8 finishes: Stitched beige parchment; natural, red-amber or black ribbon and tile, mustard or green Raw Color ribbon and white linen.

Circular metallic canopy satin nikel or textured white, black finished (A / B / C) for a simple lamp socket, (D) for a double or simple lamp socket. Suitable for side entry adaptor.

Electric cable length: 3 m / 118.1"

Junction Box adaptor included Ø 11,7 cm / 4.6" (American version).

**Approximate weight (unpacked):**

(A): 0,2 Kg / 0.4 lb

(B): 0,3 Kg / 0.7 lb

(C): 0,5 Kg / 1.1 lb

(D): 0,7 Kg / 1.6 lb

**Technical information:**

Recommended light source (not included):

(A) LED bulb: 3,4 W / 470 lm / 2700K  
 E27 - E26 / Max. hgt. 105 mm / 4.1"

(B) LED bulb: 11 W / 1.521 lm / 2700K  
 E27 - E26 / Max. hgt. 115 mm / 4.5"

Light source not included.

Suitable only for indoor use.

Always use the light source recommended or equivalent.

Input voltaje: 100, 120, 230 Vac.

(50 Hz / 60 Hz). According to destination

**Regulations:**

European version  
UNE-EN 60598  
UNE-EN 55015  
UNE-EN 60529

American version  
Dry location only  
UL-1598  
E-353545

**Maintenance:**


Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

**Others:**


The lamp is delivered in different packages.  
The assembly instructions are delivered with the product.

**Models** (European version):


**Model A: PT1**




**Model B: MT1**



**Model C: GT3**




**Model D: GT1**




**Models** (American version):


**Model A: PT1**




**Model B: MT1**



**Model C: GT3**



**Model D: GT1**



**Collection:**

Table lamps

Pendant lamps



Básica



Sísís Cónicas Planas



Sísís Cilíndricas



Sísís Cónicas



Sísís Cónicas Largas