

Part List: PART PART

ITEM	DESCRIPTION	PART	QTY
1	Top panel		1
2	Bottom panel		1
3	Left side panel		1
4	Right side panel		1
5	Back panel		1
6	Upper drawer surface		1
7	Middle drawer surface		1

Part List:

Part List:				
ITEM	DESCRIPTION	PART	QTY	
8	Lower drawer surface		1	
9	drawer left side		3	
10	drawer right side		3	
11	drawer bottom		3	
12	drawer back		3	
13	Side leg		2	
14	Crossbar		2	

MADE IN CHINA

Hardware List:


ITEM	DESCRIPTION	PART	QTY
A	Wooden dowel	Ф8*30mm	4
В	Bolt	Φ1/4"*1-1/8"	8
С	Allen wrench		1
D	Handle		3
Е	Machine screw	Φ5/32"*4/5"	6
F	Back screw	Ф 3*12mm	16
			,


Hardware List:

	mar anar		
ITEM	DESCRIPTION	PART	QTY
G	Bolt	Φ1/4"*1-1/2"	4
Н	Grub screw	$\Phi 4*25$ mm	24
I	Safety wall strap		2
J	Plastic anchor		2
K	Mounting screw	~~~~~ ~ Ф4*38mm	2
L	Washer	0	2

- * Required screwdriver & mallet, not included.
- * Before discarding packing materials, please check to make sure that all parts and hardware is present.
- * Two people needed for assembly.
- * Please follow the instructions closely; do not over tighten screws or bolts unless instructed.
- * After a few days from initial assembly, the product may have acclimated to the new environment. Please retighten the hardware.

Fastener installation procedure guide (1 and 2)








Align the cross shape of fastener ${}^{\prime\prime}B{}^{\prime\prime}$ on the vertical plate with the hole position on the top plate and bottom plate,


Press and hold the fastener door latch firmly towards the notch direction,


If the fastener is hard to press, it may be easier to use a wooden stopper.













Reminder: If the front and both ends of the drawer are tilted, do not use force, You can refer to the above steps to smoothly insert the slide rail. The 6 # and 7 # and 8 # suction panels are not interchangeable



MADE IN CHINA



To remove the drawer. lift up on the left side buckleand press down on the right side buckle, operatingboth left and right at the same time, and move outward to remove it.

