



# Simplice™ | K-26851-PE01

14" pendant

## Features

- Seeded glass shade adds a striking design element reminiscent of original flat glass
- Requires bulb with medium (E26) base; type T14 bulb recommended (sold separately)
- Suitable for damp locations, per UL 1598
- Coordinates with other products in the Simplicite collection
- Fixture is dimmable when paired with dimmer switch and compatible bulbs



## Available Colors/Finishes

*Color tiles intended for reference only.*

- |                                                                                     |     |                       |
|-------------------------------------------------------------------------------------|-----|-----------------------|
|  | BNL | Brushed Nickel        |
|  | CPL | Polished Chrome       |
|  | BLL | Matte Black           |
|  | 2GL | Brushed Moderne Brass |



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-30-2026 03:30 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

UL 1598

CSA C22.2 No. 250.0

## Technical Information

*All product dimensions are nominal.*

|                   |                                      |
|-------------------|--------------------------------------|
| Number of Lights: | 1                                    |
| Lighting Type:    | Socket-based                         |
| Socket Type:      | E-26 Medium                          |
| Number of Shades: | 1                                    |
| Hanging Type:     | Downrod                              |
| Height:           | 29-3/4" (756 mm) - 65-3/4" (1670 mm) |

## Material

- Manufactured with quality materials and complemented with a meticulous finishing process
- KOHLER finishes resist corrosion and tarnishing

## Recommended Products/Accessories

K-23723 Faucet cleaner

## Required Electrical Service

One dedicated circuit required.

120 V, 0.5 A, 60 Hz

## Warranty


*See website for detailed warranty information.*

KOHLER® Indoor Lighting Fixtures Limited Warranty



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications. For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada. 7-30-2026 03:30 - US-CA



## Installation

- Ceiling-mount

## Installation Notes

*Install this product according to the installation instructions.*

