



SPEC SHEET

KoolMore 6 cu. ft. One Glass Door Commercial Display Merchandiser Refrigerator

Model: KM-MDR-1D-6C

FEATURES

- 6 cu. ft. capacity
- Adjustable shelving to accommodate various bottle sizes
- Double-paned tempered glass to prevent condensation
- Built-in lock for added security
- Efficient airflow system for freshness
- Quick-adjust temperature settings for optimal cooling



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	21.38
Height	52.68
Width	24.37
Interior Depth	15.94
Interior Width	18.31
Interior Height	37.68
Shelfwidth	18.11
Shelfdepth	15.55
Depth Excluding Handles	24.17
Depth Including Handles	24.17
Depth Less Door	21.06
Depth With Door Open 90 Degrees	43.22
Power Cord Length	94.5
Minimum Back Air Clearance In	2 in.
Minimum Side Air Clearance In	2 in.

Capacity

Gross Cubic Feet	6
Net Cubic Feet	5.75
Individual Shelf Capacity	66.6 lbs


Features & Materials

Door Style	Swing
Number Of Doors	1
Number Of Shelves	3
Defrost Type	Automatic Defrost
Refrigerant Type	R-600A
Temperature Control Type	
Temperature Range	32-50 F
Ambient Temperature Range	86 F
Casters	4
Interior Material	201 Stainless-Steel
Exterior Material	201 Stainless-Steel, Glass and Plastic
Shelf Material Type	Coated Steel
Noise	48 dB

Electric & Certifications

Amps	2.5
Phase	1
Voltage	115
Wattage	200
Hertz	60
Plug Type	NEMA 5-15P
Certifications	ETL Listed for Safety and Sanitation

Plan View



CERTIFICATIONS

Two ETL certification logos are displayed. The first is labeled 'ETL US' and the second is labeled 'ETL CERTIFICATION LISTED'. Both logos are associated with the company name 'Intertek'.



706 Eastern Parkway STE 1G, Brooklyn NY 11213
718-576-6342
info@koolmore.com