


F60-WT


BATHROOM VANITY SET
SKU: F60-WT

Colors/Finishes: White, Light Oak
Nominal Dimension:60W*22D*35H inches



Contents

60"Vanity	PAGE2
60"Vanity Top	PAGE3
Vanity Installation	PAGE4



- VANITY FEATURES:**
- 1.Material: Solid popular wood frame, high-quality veneer plywood.
 - 2.Drawers: 6 soft-close drawers, DTC concealed soft-close sliders.
 - 3.Hardware: Metal alloy
 - 4.Installation Type: Freestanding
 - 5.Built-in Adjusters: Adjustable height levelers
 - 6.Vanity Top: High-quality quartz/marble with single undermount sink
 - 7.Assemble required: No
 - 8.Vanity top Included: Yes
 - 9.Mirror Included: Optional
 - 10.Medicine Cabinet Included: Optional


- VANITY TOP FEATURES:**
- 1.Material: Highly resilient, nonporous, scratch-and stain-resistant quartz,or natural Italian Carrera white marble.
 - 2.Top Color: Carrera white
 - 3.Sink: 2*20"undermount rectangle sink
 - 4.Faucet Hole s: Top pre-drilled for 8 widespread faucet holes
 - 5.Sink Certified: CUPC certified
 - 6.Backsplash: 4"backsplash included
 - 7.Faucet Included: No
 - 8.Nominal Dimension(W*D*H): 60W*22D*0.79H inches

F60-WT


BATHROOM VANITY SET
SKU: F60-WT

PRODUCT DIAGRAMS:


Front




Back



Top



Side




F60-WT

VANITY TOP


With rectangular undermount sink

Vanity Top

1520(60")




Undermount Sink



Vanity Installation

SUGGESTED TOOLS AND MATERIALS:



Sealant



Measuring tape



Safety glasses



Rag




Level

INSTALLATION INSTRUCTLONS


We recommend consulting a professional if you are unfamiliar with installing bathroom fixtures and plumbing .We accept no liability for any damage to the floor,plumbing, vanity cabinet,sink,counter top,or personal injury during installation.

1




Remove vanity from box and examine vanity for any defects or damage.Carefully place vanity against wall.

2




Always use a two man crew,a single person crew is much more likely to break or chip the stone top.

3



Apply bead of quality sealant evenly along the bottom of backsplash and the top of the vanity.

4



Finally,place the bottom side of back splash with sealant onto the counter top and check alignment of back splash.