

4

3

2

1

NOTES:

(N1) 1. FIT / FORM / FUNCTION SHALL FOLLOW PS-E.008.


2. TORQUE TO 7.5-8.5 LB-FT.

3. APPLY THIN COAT OF SILICON GREASE FOR ALL O-RINGS BEFORE INSTALLATION.

4. APPLY LOCTITE 242, IF SCREW DOES NOT HAVE NYLON PATCH.

5. APPLY LOCTITE 680.

6. TORQUE 15-20 IN-LB.



BILL OF MATERIAL (CURRENT LEVEL)

ITEM	PT/ASSY	DESCRIPTION	TYPE	QTY.
1	CTYN0246	BODY	PART	1
2	ATBA0297	CARTRIDGE	ASSEMBLY	1
3	CTCB0416	RETAINER	PART	1
4	CTCB0628	COVER	PART	1
5	CTHZ0595	HANDLE	PART	1
6	CTST0084-XX2	SCREW	PART	1
7	CTCP0072	CAP	PART	1
8	ATBX0087	AERATOR	PART	1
9	CTDZ0122	BASE SEAT	PART	1
10	CTRR0163	O-RING	PART	1
11	CTST0013	SCREW	PART	1
12	CTWT0095	PLATE	PART	1
13	CTNB0063	NUT	PART	1
14	ATBP0403	HOSE	ASSEMBLY	2
15	CTCP0440	COVER	PART	1

COPYRIGHT 2005 BRASSTECH, INC.
THESE DRAWINGS AND THE DESIGNS
DEPICTED HEREIN ARE THE PROPRIETARY
PROPERTY OF BRASSTECH. ANY USE
OR REPRODUCTION IS SUBJECT TO
THE EXPRESS APPROVAL OF BRASSTECH.
UNAUTHORIZED USE IS STRICTLY
PROHIBITED. ALL RIGHTS RESERVED.

TESTING	-	-	-	UNITS ARE: INCHES [MM] TOLERANCES ARE: FRACTIONS DECIMALS ANGLES $\pm 1/16"$.X $\pm .1$ [2,5] .XX $\pm .06$ [1,5]
ASSEMBLY	-	-	-	(X.XXX) DENOTES CRITICAL DIMS. ALL THREADS ARE CRITICAL
PLATING	-	-	-	DRAWN AMARISH 04/26/17
POLISHING	-	NEXT ASSY	USED ON	CHECKED RAVINDRA 04/26/17
MACHINING	-	APPLICATION		APPROVED J.A 04/26/17
TOOLING FIXTURE #		REMOVE ALL BURRS AND SHARP EDGES		SCALE .500

BRASSTECH
INCORPORATED2001 CARNEGIE AVE.
SANTA ANA, CA 92705
(949) 417-5207SINGLE HOLE LAVATORY
FAUCETDWG NO.
8233REV
-

SCALE .500

REF. -


SHEET 1 OF 3

4


3

2


1



BRASSTECH		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
DWG NO.	8233	REV	-
SCALE	.300	REF.	-
SHEET 2 OF 3			



BRASSTECH		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
DWG NO.	8233	REV	-
SCALE	.450	REF.	-
SHEET	3	OF	3



J.A.
4/19/18

				Pro/E T81681AG-01-DH .prt	Do Not ScaleDrawing	Drawn	Dahafa Inc. 德邑大卫浴有限公司				Drawing NO.		T81681	
				TOLERANCE: .XX = ± .01 .XXX = ± .005 ANGLE = ± .5°		Checked					Part Description: Single control Lav faucet			
						Approved								
Mark	Description of Change	Date	By	Assert: This drawing and the information contained hereon is confidential and property to Dahafa Inc. , is received in confidence and shall not be used, copied, or disclosed to others without the written permission from Dahafa Inc. .		Scale	1:2		Unit	inch	Material			