SKU: HK-TS-022V1-N

User Manual

Z5-V0

Before Assembly

Please read the USER MANUAL thoroughly for quick assembly, and check according to Accessories.



Team Installation:

For larger product, we recommend that you install the product together with other people



Laying Protection:

To protect the product and your flooring during installation, please lay protection before installation




No Electric Drill:

For longer use, please use the installation tools supplied with the product.



Installation question:

You can find installation video instructions on YouTube by searching our brand.




Missing Parts or Broken:

Please feel free to contact us via Amazon Orders or Customer Support Email. We promise to ship the missing or replacement parts to you free of charge.














Disassembly Diagram

For easy installation
Scan the QR code to accessthe installation guide video.


022V1



Accessories


① ×1 	② ×1 	③ ×1 	④ ×1 
⑤ ×1 	⑥ ×1 	⑦ ×1 	⑧ ×1 
⑨ ×2 	⑩ ×2 	⑪ ×1 	⑫ ×1 
⑬ ×2 	⑭ ×4 	⑮ ×2 	

A
×14



M6×35mm

B
×14




Ø15×10mm

C
×22




Ø6×30mm

D
×12




M5×40mm


E
×2



F
×4




G
×20




M4X14mm

H
×2




M6

I
×4




J
×28



3.5X12mm

K
×2




L
×12




Ø3×14mm

M
×12





N
×1





Assembly Instructions

Step1：











Assembly Instructions


Step2:







Assembly Instructions


Step3:








1 1PC




E 2PCS




A 10PCS

Assembly Instructions

Step4：







Assembly Instructions

Step5:

Note: The holes on boards 4 & 5 face inward







Assembly Instructions

Step6:


Note: Velcro on boards 7 & 8 facing outwards, round holes facing down






Assembly Instructions


Step7：






Assembly Instructions


Step8:






Assembly Instructions

Step9：






Ⓕ 4PCS




Ⓖ 20PCS

Assembly Instructions


Step10:






Assembly Instructions

Step11：




×2



Assembly Instructions


Step12：







Ⓙ16PCS

YOU WILL USE THIS PAGE FOR THE NEXT STEP









If you find a large gap between or beside the door


To adjust side ways.
Turning the screw "C" on BOTH hinges on each door.






If you find a large gap above or below the door

To adjust the vertical height.
Loosen the four screws "J" on both hinges.
Two of them are usually in slotted holes which allows you to adjust up or down by a few mm.
Then tighten back up.






If you find the door is too protruding or too inside.


To adjust depth.
Loosen screw "B" and adjust door, if the door can not be adjusted, please loosen screw "C", then try again. Tighten screw "B" and "C".


Assembly Instructions

Step13:

Snap boards 13 into board 1 & 12, slide it into the slot, and finally secure it with the Velcro.








13 2PCS

Assembly Instructions

Step14：







Ⓜ12PCS　　Ⓛ12PCS


Assembly Instructions


Step15：













Ⓔ2PCS

Problems You May Encounter

PROBLEMS	SOLUTIONS
Non-human caused damage during usage.	Please Keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide a satisfactory solution.
Mismatch of screw hole positions between components.	1. Please tighten the screws on the board by 70%, do not tighten completely. 2. Adjust the direction of the component to check that the wrong hole position has not been selected.
Product is unstable after being assembled.	1. Check if the screws are tightened. 2. Read through out the manual, check are there any parts installed incorrectly or missing assembled.
Any missing or damaged components.	To solve the problem. We are committed to providing you with **Free component shipping and replacement**