




INSTRUCTION MANUAL



Outdoor **Bar Stools**

OUTERPRO CORP.

201 E Center st ste 112 #3500,
Anaheim CA 92805

If you have any questions, please contact us:

 Service@outerprocorp.com

Model: DS02J

THANK YOU for your trust



Dear Customer,

Thank you for choosing Sour Citrus to enhance your home and outdoor spaces. This product is thoughtfully designed to bring comfort and style to your space. Sour Citrus devotes to delivering exceptional quality and innovative outdoor furniture.


Before assembling or using this product, please inspect it for any damages and ensure that all parts and hardware are included. If you notice any issues, please refrain from using the item and contact our customer service at service@outerprocorp.com. Should any parts be missing, kindly reach out to us, and we will promptly provide the necessary items.

This furniture is suitable for both indoor and outdoor settings. Please read and follow the assembly instructions carefully, and use the product as intended in this manual. Sour Citrus is not responsible for any damage resulting from improper use.

INSTALLATION STEPS

Tool used:								
						Part Number	Images and Sizes	Qty.
						E		1
						F		1
						G		1
						H		1
						L	 M6*35	4
						M	 M6*53	4
A		1	B		1	N	 M6*25	8
C		1	D		1	O	 M6*25	4

ASSEMBLY INSTRUCTIONS



STEP 1

Arrange the four legs (A&B) of the chair as shown in the diagram.

Coloca las cuatro patas (A&B) de la silla como se indica en el diagrama.

ASSEMBLY INSTRUCTIONS




NOTE / NOTA

When installing the chair swivel disc, rotate the top and bottom panels to a staggered angle as shown in the diagram to better tighten the screws.

Cuando instale el disco giratorio de la silla, gire los paneles superior e inferior en un ángulo escalonado como se muestra en el diagrama para apretar mejor los tornillos.

Hardware used: 4 M6*35 screws, nuts and washers (L)




STEP 2

Attach chair swivel disc to chair legs using 4 M6*35 screws, nuts and washers (L).

Fije el disco giratorio a las patas de la silla con 4 tornillos M6*35, tuercas y arandelas (L).

ASSEMBLY INSTRUCTIONS

Hardware used: 4 M6*53 screws, nuts and washers (M)



STEP 3

Place the outrigger retaining ring (C) in the corresponding position from top to bottom and secure with 4 M6*53 screws, nuts and washers (M).

Coloque el anillo de retención del balancín (C) en la posición correspondiente de arriba a abajo y fíjelo con 4 tornillos M6*53, tuercas y arandelas (M).

ASSEMBLY INSTRUCTIONS




NOTE / NOTA

When installing the chair swivel disc, rotate the top and bottom panels to a staggered angle as shown in the diagram to better tighten the screws.

Cuando instale el disco giratorio de la silla, gire los paneles superior e inferior en un ángulo escalonado como se muestra en el diagrama para apretar mejor los tornillos.

Hardware used: 4 M6*25 screws, nuts and washers (O)




STEP 4

Attach chair swivel disc to chair seat (H) using 4 M6*25 screws, nuts and washers (O).

Fije el disco giratorio de la silla al asiento de la silla (H) con 4 tornillos M6*25, tuercas y arandelas (O).

ASSEMBLY INSTRUCTIONS

Hardware used: 8 M6*25 screws, nuts and washers (N)



STEP 5

Attach chair armrests (E&F) and seat back (G) to the seat assembly using 8 M6*25 screws and washers (N).

Fije los reposabrazos de la silla (E y F) y el respaldo (G) al conjunto del asiento con 8 tornillos M6*25 y arandelas (N).

CARE AND MAINTENANCE

Follow the instructions for the product's material to ensure it stays in the best shape as long as possible. The information below is a general guideline. Don't hesitate to get in touch with us to learn more.

- Only rinse it thoroughly with clean water to wash away dirt and grime. Never use abrasive cleansers on the furniture since they can attack the surface and leave behind scratch marks.
- For stubborn grime and stains, use a soft sponge and mild soapy water. Then dry it with a cloth or paper towel.
- Check the stability of the screws, nuts, and nut caps before each use. Then, tighten them up after one to two months' use whenever required.
- Avoid improper use, and be careful not to scratch or damage the surface with sharp objects.
- When you move your furniture, lift it rather than pulling or pushing it to avoid damaging the floor, legs, and mounting.

CUSTOMER SERVICE

Thanks for purchasing Sour Citrus furniture. We are here to help you maximize your enjoyment and appreciation of it.

Please do not hesitate to contact our customer service if you have any questions regarding assembly or accessories.

Address: 201 E CENTER ST STE 112 #3500, ANAHEIM CA 92805.

E-mail: service@outerprocorp.com

