





Owner Manual

- **Twin/ Twin XL** [CLICK HERE](#)
(01/02)
- **Full/ Queen** [CLICK HERE](#)
(03/04)
- **KING/ Cal KING** [CLICK HERE](#)
(05/06)



BACK

Size: Twin/Twin XL(01/02)



You can contact us via the marketplace [order message center](#) for any product questions. We will reply within 24 hours. Thanks for your support!

Please Read Before Assembly

Read Before Beginning Assembly:

Clearing a area: Please assemble in a spacious area near the product's final location, preferably on a carpet or protected surface to safeguard both your floor and the product.

Team assembly is recommended: It is recommended that 2 people assemble this product. Having an extra hand can make the process faster and easier.
Check for all parts: Most parts are labeled or stamped on the raw edge. Ensure all parts are included before starting.

Read each step carefully: Follow the assembly steps in the correct order.

Skipping steps or changing the sequence can lead to difficulties.

Caution:

Choking Hazard: This product contains small parts. Keep them away from children under 3 years old. Children under 4 years old must be supervised by adults when near the bed.

Warranty Information:

This product is warranted against defects in materials and manufacture for 5 years from the purchase date (proof of purchase required).

Warranty covers defective parts only. Assembly labor not included.


Not valid for misuse, improper assembly, alterations, or unauthorized repairs.

No liability for consequential damages where permitted by law.

Notice:

Do not jump, roughhouse, or engage in strenuous activities on the bed, as this may cause personal injury or damage to the bed frame.



RATCHET WRENCH INSTRUCTION



Steps for using a ratchet wrench


1. Clamp the bolt/nut with the wrench head.
2. Toggle the switch to select tightening or loosening.
3. Repeat the action of pulling up and down the handle.

- ★ In case of missing or damaging parts, please provide your order number and the name of the required part to apply for a replacement.
- ★ Power tools are prohibited for installation, as they may cause thread stripping.
- ★ Do not full tighten any screws until the entire assembly is completed. This allows for proper alignment and adjustments during the assembly process. Tightening them all at the end will result in a more stable structure.

				
①x2 Side bracket	②x4 Connector pipe	④x4 Bed post	⑥x6 Support post	⑦x4 Side Support Bar
		 <i>Note: Model H does not include a bedspread.</i>		Legend: ①×2 means Part No. ①, 2 pieces. M6*22 means an M6 - sized screw with a length of 22mm
⑧x1 Center Support Bar	⑩x6 Slat	⑫x1 Bedspread		


 H x 1PCS 4mm	 Ratchet Wrench x1PCS	 B x 20PCS M6*22	 B x 8PCS M6*22	 A x 2PCS M6*30	 B x 8PCS M6*22	Spare B x 2
Tool		Pre-Assembly	Step 1	Step 2		

Step-by-step opening - no all-at-once.





BACK

- ★ This product only includes the parts numbered above, and the missing numbers are not used in this product.



Pre-Assembly 1

1. Connect part ② and ⑥ with screws B;
 2. Then joint part ④ with screws B as shown;
- The assembled part is called "**HS**".




HS X 2




B x 12PCS

M6*22



Pre-Assembly 2

- Connect part ① and ⑥ with screws B.
- The assembled part is called "**SS**".




SS X 2



B x 8PCS


M6*22





The complimentary ratchet wrench adds to the installation fun; detailed instructions are on page two.

Step 1

Assemble Bed Frame:
Connect HS and SS together using screw B as shown.




 B x 8PCS
M6*22



Step 2



Assemble Support Bars:
1. Connect Center Support Bar ⑧ with bolts (A) as shown.
2. Connect Side Support Bars ⑦ with bolts (B).



 A x 2PCS
M6*30
 B x 8PCS
M6*22

Step 3

Install the slats ⑩ as shown.



4

★ Before putting on the bedspread, remember to tighten all the screws.

Step 4

1. Tighten all screws
2. Put on the bedspread.



12

★ About this product, we offer two models:

Model A: With bedspread (S/Q/Y)

Regarding the bedspread, the following points need to be clarified:

1. Color
2. Material
3. Thickness

Model B: No bedspread (H)

The bedspread is for display purposes only; the actual product will be based on your order.

Note:

Check the tightness of all screws, retighten them, and ensure the structure is stable.

Reminder:

Regularly inspect the tightness of screws every 6 months. Retighten any loose ones promptly to maintain stability.

Cleaning & Care:


Use a dry or slightly damp soft cloth for cleaning. Avoid abrasive cleaners and corrosive substances (e.g., alcohol, bleach) to protect the product's finish. Regularly wipe off dust to extend service life.”

Please keep these instructions for future reference!

BACK

BACK

Size: Full/Queen(03/04)



You can contact us via the marketplace [order message center](#) for any product questions. We will reply within 24 hours. Thanks for your support!

Please Read Before Assembly

Read Before Beginning Assembly:

Clearing a area: Please assemble in a spacious area near the product's final location, preferably on a carpet or protected surface to safeguard both your floor and the product.

Team assembly is recommended: It is recommended that 2 people assemble this product. Having an extra hand can make the process faster and easier.
Check for all parts: Most parts are labeled or stamped on the raw edge. Ensure all parts are included before starting.

Read each step carefully: Follow the assembly steps in the correct order. Skipping steps or changing the sequence can lead to difficulties.

Caution:

Choking Hazard: This product contains small parts. Keep them away from children under 3 years old. Children under 4 years old must be supervised by adults when near the bed.

Warranty Information:

This product is warranted against defects in materials and manufacture for 5 years from the purchase date (proof of purchase required).

Warranty covers defective parts only. Assembly labor not included.


Not valid for misuse, improper assembly, alterations, or unauthorized repairs.

No liability for consequential damages where permitted by law.

Notice:

Do not jump, roughhouse, or engage in strenuous activities on the bed, as this may cause personal injury or damage to the bed frame.


RATCHET WRENCH INSTRUCTION



Steps for using a ratchet wrench


1. Clamp the bolt/nut with the wrench head.
2. Toggle the switch to select tightening or loosening.
3. Repeat the action of pulling up and down the handle.

- ★ In case of missing or damaging parts, please provide your order number and the name of the required part to apply for a replacement.
- ★ Power tools are prohibited for installation, as they may cause thread stripping.
- ★ Do not full tighten any screws until the entire assembly is completed. This allows for proper alignment and adjustments during the assembly process. Tightening them all at the end will result in a more stable structure.

				
①x2 Side Bracket	②x2 Bracket A	③x1 Center Support Rail	④x4 Bed Post	⑥x10 Support Post
			 Note: Model H does not include a bedspread.	
⑦x8 Center Support Bar	⑧x2 Side Support Bar	⑩x12 Slat	⑫x1 Bedspring	
Legend: ①×2 means Part No. ①, 2 pieces. M6*22 means an M6 - sized screw with a length of 22mm				


 H x 1PCS 4mm	 Ratchet Wrench x1PCS	 B x 28PCS M6*22	 A x 4PCS M6*30	 B x 8PCS M6*22	 A x 4PCS M6*30	 B x 16PCS M6*22	Spare A x 1 B x 2
Tool		Pre-Assembly	Step 1	Step 2	Step 3		

Step-by-step opening - no all-at-once.




BACK

- ★ This product only includes the parts numbered above, and the missing numbers are not used in this product.



Pre-Assembly 1

1. Connect part ② and ⑥ with screws B;
 2. Then joint part ④ with screws B as shown;
- The assembled part is called "**HS**".




HS X 2




B x 16PCS

M6*22



Pre-Assembly 2

- Connect part ① and ⑥ with screws B.
- The assembled part is called "**SS**".



SS X 2




B x 8PCS

M6*22

Pre-Assembly 3

Connect part ③ and ⑥ with screws B.
The assembled part is called "CS".




B x 4PCS

M6*22

Step 1

Connect part HS and CS with screws A.



A x 4PCS

M6*30

Step 2

Joint SS and HS together with screw B as shown.

The complimentary ratchet wrench adds to the installation fun; detailed instructions are on page two.

B

SS



B x 8PCS

M6*22

Step 3

Assemble Support Bars:

1. Connect Center Support Bar ⑧ with bolts (A) as shown.
2. Connect Side Support Bars ⑦ with bolts (B).

B

A

⑧

B

A

B

B

A

B

B

⑦



A x 4PCS

M6*30




B x 16PCS

M6*22

Step 4

Install the slats ⑩ as shown.



Before putting on the bedspread, remember to tighten all the screws.

Step 5

1. Tighten all screws
2. Put on the bedspread.



About this product, we offer two models:

Model A: With bedspread (S/Q/Y)

Regarding the bedspread, the following points need to be clarified:

1. Color 2. Material 3. Thickness

Model B: No bedspread (H)

The bedspread is for display purposes only; the actual product will be based on your order.

Note:

Check the tightness of all screws, retighten them, and ensure the structure is stable.

Reminder:

Regularly inspect the tightness of screws every 6 months. Retighten any loose ones promptly to maintain stability.

Cleaning & Care:


Use a dry or slightly damp soft cloth for cleaning. Avoid abrasive cleaners and corrosive substances (e.g., alcohol, bleach) to protect the product's finish. Regularly wipe off dust to extend service life.”

Please keep these instructions for future reference!

BACK

BACK

Size:King/California King(05/06)



You can contact us via the marketplace [order message center](#) for any product questions. We will reply within 24 hours. Thanks for your support!

Please Read Before Assembly

Read Before Beginning Assembly:

Clearing a area: Please assemble in a spacious area near the product's final location, preferably on a carpet or protected surface to safeguard both your floor and the product.

Team assembly is recommended: It is recommended that 2 people assemble this product. Having an extra hand can make the process faster and easier.
Check for all parts: Most parts are labeled or stamped on the raw edge. Ensure all parts are included before starting.

Read each step carefully: Follow the assembly steps in the correct order. Skipping steps or changing the sequence can lead to difficulties.

Caution:

Choking Hazard: This product contains small parts. Keep them away from children under 3 years old. Children under 4 years old must be supervised by adults when near the bed.

Warranty Information:

This product is warranted against defects in materials and manufacture for 5 years from the purchase date (proof of purchase required).


Warranty covers defective parts only. Assembly labor not included.

Not valid for misuse, improper assembly, alterations, or unauthorized repairs. No liability for consequential damages where permitted by law.

Notice:

Do not jump, roughhouse, or engage in strenuous activities on the bed, as this may cause personal injury or damage to the bed frame.



RATCHET WRENCH INSTRUCTION



Steps for using a ratchet wrench

1. Clamp the bolt/nut with the wrench head.
2. Toggle the switch to select tightening or loosening.
3. Repeat the action of pulling up and down the handle.


- ★ In case of missing or damaging parts, please provide your order number and the name of the required part to apply for a replacement.
- ★ Power tools are prohibited for installation, as they may cause thread stripping.
- ★ Do not full tighten any screws until the entire assembly is completed. This allows for proper alignment and adjustments during the assembly process. Tightening them all at the end will result in a more stable structure.

				
①x2 Side Bracket	②x2 Bracket A	③x1 Center Support Rail	④x4 Bed Post	⑥x10 Support Post
				Note: Model H does not include a bedsread.
⑦x8 Center Support Bar	⑧x2 Side Support Bar	⑩x12 Slat	⑫x1 Bedsread	

Legend: ① × 2 means Part No. ①, 2 pieces. M6*22 means an M6 - sized screw with a length of 22mm


							Spare A x 1 B x 2
H x 1PCS 4mm	Ratchet Wrench x1PCS	B x 28PCS M6*22	A x 4PCS M6*30	B x 8PCS M6*22	A x 4PCS M6*30	B x 16PCS M6*22	
Tool		Pre-Assembly	Step 1	Step 2	Step 3		

Step-by-step opening - no all-at-once.




BACK

- ★ This product only includes the parts numbered above, and the missing numbers are not used in this product.



Pre-Assembly 1

1. Connect part ② and ⑥ with screws B;
 2. Then joint part ④ with screws B as shown;
- The assembled part is called "**HS**".




HS X 2




B x 16PCS

M6*22



Pre-Assembly 2

- Connect part ① and ⑥ with screws B.
- The assembled part is called "**SS**".



SS X 2




B x 8PCS

M6*22

Pre-Assembly 3

Connect part ③ and ⑥ with screws B.
The assembled part is called "CS".




B x 4PCS

M6*22

Step 1

Connect part HS and CS with screws A.



A x 4PCS

M6*30

Step 2

Joint SS and HS together with screw B as shown.

The complimentary ratchet wrench adds to the installation fun; detailed instructions are on page two.

B

SS



B x 8PCS

M6*22

Step 3

Assemble Support Bars:

1. Connect Center Support Bar ⑧ with bolts (A) as shown.
2. Connect Side Support Bars ⑦ with bolts (B) .

B

A

⑧

B

A

B

B

B

⑦



A x 4PCS

M6*30




B x 16PCS

M6*22

Step 4

Install the slats ⑩ as shown.



★ Before putting on the bedspread, remember to tighten all the screws.

Step 5

1. Tighten all screws
2. Put on the bedspread.



★ About this product, we offer two models:

Model A: With bedspread (S/Q/Y)

Regarding the bedspread, the following points need to be clarified:

1. Color 2. Material 3. Thickness

Model B: No bedspread (H)

The bedspread is for display purposes only; the actual product will be based on your order.

Note:

Check the tightness of all screws, retighten them, and ensure the structure is stable.

Reminder:

Regularly inspect the tightness of screws every 6 months. Retighten any loose ones promptly to maintain stability.

Cleaning & Care:

Use a dry or slightly damp soft cloth for cleaning. Avoid abrasive cleaners and corrosive substances (e.g., alcohol, bleach) to protect the product's finish. Regularly wipe off dust to extend service life.”

Please keep these instructions for future reference!

BACK