




SAFETY INSTRUCTIONS

- ⚠ Please read the instructions carefully before use.
- ⚠ Before installing, please compare the content received with the parts list to ensure that all parts have been included in the package.
- ⚠ Please make sure the wall can bear the weight of the mirror.
- ⚠ Please don't hang the mirror with a rope or chain.
- ⚠ Please clean the installation area to avoid accidents and remove personal items to avoid potential property damage.


ILLUSTRATION




HD Silver Mirror

Touch Switch


Light Strip



Energy Saving




Touch Screen Switch



LED Lighting

LIGHTING FUNCTION:




After the power has been connected: The color of the touch switch will turn blue.

1st Touch of the Touch Switch: The LED light will turn on & the light color will turn white.

2nd Touch of the Touch Switch: The LED light color will turn yellow.

3rd Touch of the Touch Switch: The LED light will be turned off.

ILLUSTRATION




Long press the touch switch to change the LED color to any color (between white and yellow) you prefer, once your finger leaves the touch switch, the switch color will begin to flash. Wait 10 seconds and the switch color will stop flashing, the color just selected will be locked. Short touch the switch to turn off the LED light, short touch the switch again, the locked color will still be maintained.


ILLUSTRATION

If you keep pressing the touch switch until the switch color flashes, the LED color will be locked at the limit color value after the switch color stops flashing. E.g., if the LED color is white when you press the touch switch, keep pressing the switch until the switch color flashes, the LED color will be the deepest yellow after the switch color stops flashing. (If the LED color is yellow when you press the touch switch, keep pressing the switch until the switch color flashes. The LED color will be the brightest white after the switch color stops flashing).

BACK VIEW




SPECIFICATIONS



1. Material: Glass + Aluminum Alloy.
2. LED Color Temperature: 6500K/4000K/3000K.
3. Power Supply: AC100V drive power supply.
4. Certification: FCC/ROHS/UL.
5. Function: Intelligent stepless dimming.

INSTALLATION METHODS



- STEP 1. Measure the mounting points distance between the two hanging clamps on the wall.
- STEP 2. Mark the distance on the wall at the specified points.
- STEP 3. Drill holes into the wall according to the previously marked points.
- STEP 4. Insert the plastic expansion screw into the holes.
- STEP 5. Insert the metal screws into the plastic expansion screws.
- STEP 6. Carefully hang the mirror on the wall.