



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 1 of 15

Applicant : Jiyang Tongmao (Fuzhou) Import and Export Co Ltd
Address : Room 902, Building C, Smart Square, Digital Yongtai Industrial Park,
No. 49, Guozhen, Dongxing Village, Geling Town, Yongtai County
Manufacturer : ELUREVIA
Address : Room 902, Building C, Smart Square, Digital Yongtai Industrial Park,
No. 49, Guozhen, Dongxing Village, Geling Town, Yongtai County

The submitted sample and sample information was/were submitted and identified by/on the behalf of the client.

Sample Name : Dresser
Model No. : DE2501-WH-E, DE2501-BK-E
Labelled Age Grading : 12+ years old
Appropriate Age Grading for Testing : 12+ years old
Tested Age Grading : 12+ years old
Sample Received Date : September 02, 2025
Testing Period : September 02, 2025 –September 09, 2025

Test Requested

As requested by the applicant, refer to attached page(s) for details.

Conclusion

See next page

Test Result(s): Please refer to the following page(s).

Signed for and on behalf of

Shenzhen GCT Testing Technology Co.,Ltd

Tested by *Luna Yuang*

Reviewed by *Joyce Yuang*

Authorized Signatory *Zemy Xia*



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 2 of 15

No. Test Requested:

Conclusion

A	ASTM F2057 - 23 Standard Safety Specification for Clothing Storage Units	Pass
B	USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint.	Pass
C	USA Consumer Product Safety Improvement Act of 2008 (CPSIA) with amendment (H.R.2715)	
	1. 16 CFR 1500.50.51.52.53 Simulating use and abuse	N/A
	2. 16 CFR 1501 Small parts	N/A
	3. 16 CFR 1500.48 Sharp point	N/A
	4. 16 CFR 1500.49 Sharp metal or glass edge	N/A
	5. Section 103 Tracking Labels for Children's Products	Pass
	6. Lead in surface – coatings and similar materials of children’s products	Pass
	7. Lead in substrate materials of children’s products	Pass
	8. Phthalates in children’s toys	Pass
D	USA 40 CFR Part 770 - Formaldehyde Standards for Composite Wood Products	Pass

N/A: Not applicable



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 3 of 15

Tested Sample/Part Description:

NO.	Sample description
1	Black wooden board
2	Black coating

Test Result(s):

A. ASTM F2057 - 23 Standard Safety Specification for Clothing Storage Units

Section	Test request	Result(s)
4	Performance Requirements	
4.4	Tip over restraint: Tip over restraints shall be included with each item of furniture	Pass
4.5	ASTM F3096 cl. 4: Tip over restraint shall withstand the static load of 60lb (27 kg) and maintain for 30 s.	Pass
4.6	Interlock Requirements	N/A
9	Test Procedure	
9.1	Evaluate Interlock System	N/A
9.2.1	Simulated Clothing Load	Pass
9.2.2	Simulated Horizontal Dynamic Force	Pass
9.2.3	Simulated Reaction on Carpet w/Child Weight	Pass
9.3	Permanency of Labels and Warnings Testing	Pass
9.3.1	Paper label: A paper label shall be considered permanent if, during an attempt to remove it without the aid of tools or solvents, it cannot be removed, it tears into pieces upon removal, or such action damages the surface to which it is attached.	Pass
9.3.2	Non-paper label: A non-paper label shall be considered permanent if during an attempt to remove it without the aid of tools or solvents, it cannot be removed or such action damages the surface to which it is attached.	N/A
9.3.3	Adhesion Test for Warnings Applied Directly onto the Surface of the Product	N/A
10	Marking and Labeling	
10.1	Warnings on Product	Pass
10.2	Warnings Format and Content	Pass
Additional Requirements acc. ASTM F3096		



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 4 of 15

Section	Test request	Result(s)
ASTM F3096-14 cl.5	Instructional Literature: Installation instruction shall include a minimum the following: <ul style="list-style-type: none">• Illustration showing installation method• Detailed written instructions with step by step instructions on how to properly attached the tip over restraint Parts list including illustrations	Pass
ASTM F3096-14 cl.6	The following information shall be provided with each tip over restraint <ul style="list-style-type: none">• Manufacturer's name and address Date of manufacture (capable of identifying at a minimum the month and year of manufacture)	Pass



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 5 of 15

B. USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint

Test Method and Test Equipment:

Test Item	Test Method	Test Equipment
Total Lead (Paint and Other Similar Surface Coatings)	CPSC-CH-E1003-09.1	ICP-OES

Test Item	Unit	MDL	Limit	Test Result(s)
				2
Total Lead (Paint and Other Similar Surface Coatings)	mg/kg	5	90	N.D.

C. USA Consumer Product Safety Improvement Act of 2008 (CPSIA) with amendment (H.R.2715)

Applicable Section	Description	Result
(1) 16 CFR 1500.50.51.52.53	Normal use testing	N/A
	Abuse testing	N/A
	Impact test	N/A
	Bite test	N/A
	Flexure test	N/A
	Torque test (53e)	N/A
	Tension test (53f)	N/A
	Compression test(53g)	N/A
(2) 16 CFR 1501	Identifying toys and other articles intended for use by Children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts.	N/A
(3) 16 CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	N/A
(4) 16 CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	N/A



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 6 of 15

(5) Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103.-Tracking Labels for Children's Products

Requirement	Result(s)
On Packaging	
Present on packaging	Not Request
Permanent	
Manufacturer or private labeler	Pass*
Location of production (City and country)	
Date of production (month and year)	
On Product	
Present on product	Not Request
Permanent	
Location of production (City and country)	Pass*
Date of production (month and year)	
Manufacturer or private labeler	

*: Tracking labels evaluated based on the design draft provided by the client.



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 7 of 15

(6) Lead in surface – coatings and similar materials of children’s products

Test Method and Test Equipment:

Test Item	Test Method	Test Equipment
Total Lead (Paint and Other Similar Surface Coatings)	CPSC-CH-E1003-09.1	ICP-OES

Test Item	Unit	MDL	Limit	Test Result(s)
				2
Total Lead (Paint and Other Similar Surface Coatings)	mg/kg	5	90	N.D.

(7) Lead in substrate materials of children’s products

Test Method and Test Equipment:

Test Item	Test Method	Test Equipment
Total Lead(Non-Metal products)	CPSC-CH-E1002-08.3	ICP-OES
Total Lead (Metal products)	CPSC-CH-E1001-08.3	ICP-OES

Test Item	Unit	MDL	Limit	Test Result(s)
				1
Total Lead (Non-Metal products)	mg/kg	5	100	N.D.



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 8 of 15

(8) Phthalates in children's toys

Test Method and Test Equipment:

Test Item	Test Method	Test Equipment
Phthalate	CPSC-CH-C1001-09.4	GC-MS

Test item(s)	Unit	MDL	Limit	Test Result(s)	
				1	2
Dibutyl Phthalate(DBP)	mg/kg	50	1000	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	1000	N.D.	N.D.
Diisononyl Phthalate(DINP)	mg/kg	100	1000	N.D.	N.D.
Di-iso-butyl ortho-phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.
Di-n-pentyl phthalate (DPENP)	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl phthalate (DHEXP)	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	mg/kg	50	1000	N.D.	N.D.

D. USA 40 CFR Part 770 - Formaldehyde Standards for Composite Wood Products

Test method: According to the ASTM D6007-14, the testing conditions are 25°C±1°C (77°F ± 2°F) and a relative humidity of 50±4%.

Element	MDL	Unit	Results	Limit (Each)
			1	
Formaldehyde Emissions	0.01	ppm	0.03	See the next remarks(c)
Conclusion	/	/	Pass	/



Test Report

Remarks:

Item	Limit (ppm)
(a) for hardwood plywood	0.05 ppm
(b) for particleboard	0.09 ppm
(c) for medium-density fibreboard	0.11 ppm
(d) for thin medium-density fibreboard	0.13 ppm
(e) for a laminated product	0.05 ppm

Exemption — laminated products

(4) A manufacturer of laminated products is not required to have the selection, testing and verification referred to in subsection (1) performed for a product type if

(a) in the case of a product type whose core or platform is a composite wood panel, formaldehyde emissions from the core or platform, prior to incorporation into the laminated product, do not exceed the applicable limit set out in subsection 6(1) or the correlated limit referred to in subsection 6(2); and

(b) the veneer is glued to the core or platform using a phenol-formaldehyde resin or a no-added-formaldehyde resin.

- Note:**
1. mg/kg= ppm
 2. Sol. = Soluble
 3. ppm = part per million = mg/kg
 4. N.D. = Not Detected (<MDL)
 5. MDL = Method Detection Limit
 6. N/A=Not Application
 7. The tested materials were specified and confirmed by the client.
 8. All/part tests requested for testing require to have a statement of conformity, but the measurement uncertainty isn't required to be accounted for checking/compliance. Then decision rule section 4.2.1.Binary Statement for Simple Acceptance Rule as stated in ILAC-G8:09/2019 will be used.

Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 10 of 15

Photograph of Sample



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 11 of 15



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 12 of 15



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 13 of 15



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 14 of 15



Test Report

Report No.: GCT304809B500584

Date: September 10, 2025

Page 15 of 15



**** End of Report ****