




Colors:




SUITABLE COOKING STYLE & FEATURES:

Minimal ————— Everyday ————— Heavy-Duty



UC-PS19 CONTEMPORARY STYLE UNDER CABINET SIZES: 30" | 36"

PRODUCT DESCRIPTION



Meet the HausOne: the range hood that thinks before you do. Powered by HauSmart™ Technology, it senses when you start cooking, flips on the lights, and adjusts the fan speed like it's reading your mind (or at least your stovetop). Crank up the heat, and both fans automatically unleash up to 860 CFM of clearing power. No buttons, no fuss. As the stove cools down, it politely shuts itself off. With dishwasher-safe filters, swap-ready GU10 bulbs, and a sleek touch panel that wipes down in a blink, it's proof that intelligence does belong in the kitchen, just not the kind that argues back.

WHAT'S INCLUDED

Grease Tray (1), Dishwasher-Safe Baffle Filters (2) for 30" Model | (3) for 36" Model, Top 6" Round Exhaust Adapter (1), Aluminum Foil Tape (1), Microfiber Cloth (1), Mounting Template (1), Top 3 1/4" x 10" Rectangular Exhaust Adapter (1) and Rear 3 1/4" x 10" Rectangular Exhaust Adapter (1)

OVERALL PRODUCT DIMENSIONS (WxDxH)

UC-PS19 30": 29 3/4" x 22" x 8 1/8"

UC-PS19 36": 35 3/4" x 22" x 8 1/8"

WARRANTY

2-Year Limited Warranty and Lifetime Warranty on Motor



FEATURES & BENEFITS:

HAUSMART™ TECHNOLOGY:

Auto-sensor turns on lights when you approach, automatic fan engages when burners heat up, zone-specific ventilation activates only the fans you need, and auto-delay shut off clears residual smoke before powering down.

860 CFM DUAL-MOTOR POWER:

Professional-grade suction handles heavy-duty cooking, while uniquely designed ductwork keeps operational noise to a minimum.

THREE-WAY VENTING SYSTEM:

VersaVent™ fits 6" round or 3 1/4" x 10" rectangular duct, venting through top or rear to work with your existing setup.

EASY MAINTENANCE DESIGN:

Dishwasher-safe baffle filters with full-size handles, replaceable GU10 LED bulbs available at any hardware store.

COMPLIMENT YOUR KITCHEN DESIGN:


Available in matte white, matte black, stainless steel, and black stainless finish to match your kitchen design perfectly.

ADA COMPLIANT PRODUCT:


This ADA compliant range hood can be operated via remote control (HLRC1, sold separately), enhancing safety for users of all abilities.

TECHNICAL DRAWING

30"



36"



SPECIFICATIONS

SIZE	30" 36"
STYLE	Under Cabinet
RECIRCULATING	N/A
CLEANING FUNCTION	N/A
NOISE LEVEL	1.5 to 7.0 Sones
LIGHT COLOR TEMP.	Warm / 3000 Kelvin
LUMENS	200
LIGHT BULB	3W LED (GU10 Base)
LIGHT INTENSITY	1 Level
DELAY FUNCTION	Yes
CONTROL	Touch Panel
SPEED SELECTIONS	6 Levels
SPECIAL FEATURES	3-Way Ventilation Options / ADA Compliant (Remote Sold Separately. P#: HLRC1)

COOKING STYLE	Heavy-Duty
EQUIVALENT AIRFLOW	860 CFM
LABORATORY AIRFLOW	500 CFM
TOP VENTING	6" Round or 3 1/4" x 10"
REAR VENTING	3 1/4" x 10"
MOTOR	Dual
AMPERAGE	2.3
WATTAGE	276
VOLTAGE	120
CONNECTION	Plug-In
GROSS WEIGHT, LBS.	30": 49 36": 55.1
NET WEIGHT, LBS.	30": 41 36": 47
DIMENSIONS (WxDxH)	30": 29 3/4" x 22" x 8 1/8" 36": 35 3/4" x 22" x 8 1/8"



Couleurs :



TYPE DE CUISSON ET CARACTÉRISTIQUES :

○ ————— ○ ————— ●
Simple Tout usage Robuste




UC-PS19

HOTTE DE CUISINE SOUS ARMOIRE MODERNE

TAILLES : 30" | 36"

DESCRIPTION DU PRODUIT



Conçu pour faciliter l'extraction des odeurs désagréables, des fumées toxiques et des produits chimiques nocifs de votre cuisine. UC-PS18 est soutenu par des moteurs doubles qui gère la cuisson légère ou lourde avec six réglages de vitesse et 860 PCM puissance d'aspiration. Et les filtres à chicane faciles à enlever peuvent être jetés dans le lave-vaisselle pour un nettoyage rapide, gardant votre cuisine fraîche et sans odeur.

CE QUI EST INCLUS

Bac à graisse (1), filtres à chicane lavables au lave-vaisselle (2) pour le modèle 30" | (3) pour le modèle 36", Adaptateur d'échappement rond des 6" premiers modèles (1), Ruban en aluminium (1), Chiffon en microfibre (1), gabarit de montage (1), Adaptateur d'échappement rectangulaire des 3 derniers modèles 3 1/4" x 10" (1) et Adaptateur d'échappement rectangulaire des 3 premiers modèles 3 1/4" x 10" (1)

DIMENSIONS GLOBALES DU PRODUIT (LxPxH)

UC-PS18 30": 29 3/4" x 22" x 8 1/8"

UC-PS18 36": 35 3/4" x 22" x 8 1/8"

GARANTIE

Garantie limitée de 2 ans et garantie à vie sur le moteur



CARACTÉRISTIQUES ET AVANTAGES :

STYLE MODERNE :

Assortissez parfaitement votre mise à niveau de cuisine avec une finition blanc mat, noire mate, en acier inoxydable ou en acier inoxydable noir. Pas besoin de jouer avec des boutons ou des filtres compliqués.

ASPIRATION PUISSANTE :

Utilise différents réglages de vitesse pour extraire les fumées nocives provenant de la cuisson à haute puissance, de la chaleur élevée et de l'excès de fumée.

SYSTÈME DE VENTILATION POLYVALENT :

Conçu avec un système de ventilation à trois voies pour s'adapter à la plupart des ouvertures d'évent de cuisine.

FILTRES À CHICANE LOURDS :

Les filtres à chicane en acier inoxydable, propres au lave-vaisselle, capturent la graisse pour une élimination facile et un entretien quotidien sans effort.

COMPLIMENTEZ VOTRE STYLE DE CUISINE :



Disponible en blanc mat, noir mat, acier inoxydable et finition noire inoxydable pour correspondre parfaitement à votre conception de cuisine.

PRODUIT CONFORME À LA LCA :



Cette hotte de cuisine conforme à la norme LCA peut être commandée par télécommande (HLRC1, vendue à part), ce qui améliore la sécurité pour les utilisateurs de toutes capacités.

DESSIN TECHNIQUE

30"



36"



SPÉCIFICATIONS

TAILLES	30" 36"
STYLE	Sous armoire
RECIRCULATION	—
FONCTION DE NETTOYAGE	—
NIVEAU DE BRUIT	1,5 à 7,0 sones
ÉCLAIRAGE	Chaud / 3 000 Kelvin
LUMENS	200
AMPOULE	3 W DEL (GU10 Base)
INTENSITÉ LUMINEUSE	1 niveau
FONCTION DE RETARD	Oui
CONTRÔLE	Écran tactile
SÉLECTIONS DE VITESSE	6 niveaux
PARTICULARITÉS	Options de ventilation à 3 voies / Conforme LCA (télécommande vendue à part. P# : HLRC1)

STYLE DE CUISSON	Robuste
DÉBIT D'AIR ÉQUIVALENT	860 PCM
FLUX D'AIR DE LABORATOIRE	500 PCM
VENTILATION DU HAUT	6" rond or 3 1/4" x 10"
VENTILATION ARRIÈRE	3 1/4" x 10"
MOTOR	Double
AMPÉRAGE	2,3
PUISSANCE	276
TENSION	120
CONNEXION	Prise murale
POIDS BRUT, LB.	30": 49 36": 55,1
POIDS NET, LB.	30": 41 36": 47
DIMENSIONS (LxPxH)	30": 29 3/4" x 22" x 8 1/8" 36": 35 3/4" x 22" x 8 1/8"