


ASSEMBLY INSTRUCTIONS

DEAR CUSTOMER,

Caution:


1. Please read all instructions before assembly and check the carton for any parts that may have come loose during shipment. it is recommended to use two or more persons during the assembly process.
2. Please do not discard any packaging before you have checked all the parts and fittings are included. if for any reason this product needs to be returned it must be returned packed in its original packaging
3. Assemble this product on a flat and clean surface to avoid scratching.
4. Please don't tighten the screws completely and go back later for a final tightening of all the screws after pieces are aligned with each other !



You can choose mobile control or 2.4G Remote Control.
First, pull out the plastic card on the 2.4G Remote Controller
and power on the 2.4G Remote Controller.

Mobile phone control steps:
















1. Connect LED Lamp and 2.4G remote control.
2. Plug in the Adaptor Power supply.
3. Scan the 2.4G remote control OR code on the remote control and download the software Lotus Lantern.
4. Turn on the Bluetooth function of the mobile phone and search for Bluetooth pairing "Trinoes".
5. Open the "LotusLantern " APP and switch colors change.
Click the music switch to realize the skip mode of different LED lights.
Press the timing switch to realize the automatic light off function.etc



Parts List








Pls make sure all the accesories are complete!









				
① 4PCS	② 2PCS	③ 2PCS	④ 1PC	⑤ 1PC
				
⑥ 2PCS	⑦ 4PCS	⑧ 4PCS	⑨ 4PCS	⑩ 1PC
				
⑪ 20PCS	⑫ 4PCS	⑬ 1PC	⑭ 1PC	⑮ 8PCS

Hardware List








Pls make sure all the accesories are complete!





				
M6*15mm	M6*30mm	M6*40mm	ø6	
Ⓐ 8PCS	Ⓑ 28PCS	Ⓒ 19PCS	Ⓓ 55PCS	1PC










x 2




Please tighten the assembled screws.





Please tighten all screws at the end of each screw alignment.



6



Please attach the light strip to the EVA cushion layer.

EVA

Please tear off the backing paper from this side

The diagram shows a rectangular frame assembly with internal cross-bracing. Arrows point to the inner edges of the frame where light strips are to be attached. A circular inset at the top right shows a close-up of a light strip being adhered to a surface labeled 'EVA'. Another circular inset at the bottom right shows a hand peeling a backing paper from a component labeled '13'. A separate callout at the bottom left shows two components: a power adapter labeled '14' and a light strip labeled '13' connected by a cable.

[illegible]



You can choose mobile control or 2.4G Remote Control.
First, pull out the plastic card on the 2.4G Remote Controller
and power on the 2.4G Remote Controller.

Mobile phone control steps:

1. Connect LED Lamp and 2.4G remote control.
2. Plug in the Adaptor Power supply.
3. Scan the 2.4G remote control OR code on the remote control and download the software Lotus Lantern.
4. Turn on the Bluetooth function of the mobile phone and search for Bluetooth pairing "Trinoes".
5. Open the "LotusLantern" APP and switch colors change.
Click the music switch to realize the skip mode of different LED lights.
Press the timing switch to realize the automatic light off function.etc

