
# Nightstand

## Assembly Instruction - Please keep properly for future reference.

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.



### CONTACT US

- **Email: service@grandtunnel.com**
  In order to receive assistance more quickly, please provide

### THE FOLLOWING INFORMATION:

- Order number
- Purchase platform
- Purchase date
- Detailed description of the issue along with photos (if applicable)

**Important –** Please read these instructions carefully before starting the installation.

EN

EN

# Before Assembly

Thank you for choosing our product!
To ensure a smooth installation process, please read this guide carefully to familiarize yourself with the required tools, materials, and installation steps.
Follow the relevant sections to avoid any damage caused by improper installation, and make sure to review all operation and safety guidelines for correct installation procedures.


## Packaging Notice:

If you find any missing boxes, damaged parts, or accessory shortages, please contact the customer service team of your purchasing channel immediately. We will resolve the issue as quickly as possible.

# Safety and Care Advice

## Important :
Please read these instructions fully before starting assembly.

- Check you have all the components and tools listed on the following pages.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- During assembly do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.


Email:service@grandtunnel.com

## Care and Maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal center.

## Handy Hints

- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.
- Regularly check and ensure that all bolts and fittings are tightened properly.

## Warning

**In order to help prevent overturning, please follow these instructions.**

- Use the anti tip strap or wall fixing method provided (if applicable).
- Do not allow children to climb or hang on the furniture.
- Do not open more than one drawer at a time.
- Do not place heavy items in the top drawers.
- Do not place heavy items on top of the furniture, unless the furniture has been designed for this purpose.
- Please note that only the anti tip strap is provided. You will need to provide wall plugs and screws applicable for your wall type.

EN

# Customer Service Guide

Thank you for choosing our product! We are committed to providing you with excellent service. If you find any missing parts, damaged packaging, or product damage after receiving all packages, please follow the steps below to quickly contact our customer service team. We will do our best to resolve your issue.

## 1. Missing Parts

### Verify Parts:

1. Refer to the “Parts List” in the manual to verify the name, specifications, and quantity of the missing parts.
2. Take a clear photo of the parts list and mark the missing parts with detailed information, e.g., “Missing 5 pieces of M6×30mm screws.”

### Contact Us:

**By Email:**

Send an email to **service@grandtunnel.com**, with the subject line “Missing Parts Issue.” Include the following in the email:

- A description of the missing parts and a photo of the parts list.
- Order details (order number, purchase platform, purchase date).

## 2. Product or Packaging Damage

### If it affects normal use:

**Steps:**

1. Take clear photos or videos showing the damaged parts and the extent of the damage (multi-angle shots are recommended).
2. Email the photos/videos along with order details to **service@grandtunnel.com**, with the subject line “Product Damage Issue.”

**Resolution:**

After verification, we will arrange for a replacement part, product exchange, or refund as quickly as possible.



Email : service@grandtunnel.com

### If it does not affect normal use:

**Steps:**

1. Contact our customer service team (by email: **service@grandtunnel.com**).
2. Provide a description of the damage and include relevant photos or videos.

**Resolution:**

We will provide repair guidance or an appropriate compensation plan based on the specific situation.

### Contact Us:

Customer Service Email: **service@grandtunnel.com**

## Helpful Tips

### To process your issue efficiently, please prepare the following information:


- Order details (order number, purchase platform, purchase date).
- Clear photos or videos.
- We are committed to providing quick and professional solutions, no matter the size of the issue, to ensure your satisfaction.

### Thank you for your trust and support!
### We hope you enjoy using our product!


EN

# Parts List - Panels


**Please check you have all the panels listed below.**




| 1 | 595*400*12mm | x2 |
|---|---|---|




| 2 | 595*400*12mm | x2 |
|---|---|---|




| 3 | 595*43*15mm | x2 |
|---|---|---|




| 4 | 595*43*15mm | x2 |
|---|---|---|




| 5 | 416*30*12mm | x2 |
|---|---|---|




| 6 | 416*30*12mm | x2 |
|---|---|---|




| 7 | 416*45*12mm | x4 |
|---|---|---|




| 8 | 300*40*30mm | x4 |
|---|---|---|




| 10 | 384*70*12mm | x4 |
|---|---|---|




| 11 | 323*75*15mm | x2 |
|---|---|---|




| 12 | 435*45*12mm | x2 |
|---|---|---|




| 13 | 323*30*15mm | x2 |
|---|---|---|



| 14 | 384*384*12mm | x2 |
|---|---|---|




| 15 | 435*30*12mm | x2 |
|---|---|---|




| 16 | 384*135*12mm | x2 |
|---|---|---|




Email : service@grandtunnel.com




17 470*394*2.7mm x2




18 457*440*14mm x2




19 318*118*12mm x4




20 300*88*12mm x4




21 300*88*12mm x4



22 299*88*12mm x4



23 285*310*2.7mm x4



24 300*40*30mm x4

# Parts List – Fittings

**Please check you have all the fittings listed below.**

**Note:** The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied are required.




A Ø6*32mm x84



B Ø15*10mm x84



C Ø6*30mm x38



D Drawer slider 12" x4



E Ø4*12mm x24




F Ø3*12mm x32

EN



**G** Ø4*30mm **x20**




**H** Back Panel Stiffener **x8**




**I** Ø3.5*20mm **x32**




**J** 6*30mm Screw **x16**




**K** Handle & Fixing **x4**



**L** Corner code **x8**





**M** Protective Feet **x12**



**N** Socket **x2**



**O** Ø3.5*10mm **x4**

| **Tools required** |  Phillips screwdriver (medium & large) |
|---|---|
| **Ruler**<br>Use this ruler to help correctly identify the screws | <br>**The screws length is measured from the head to the point (30mm screw shown).** |




Email : service@grandtunnel.com

# Using Camlocks

## Step 1


Connect the male camlock as directed in the assembly instructions using a screwdriver.

**DO NOT OVER TIGHTEN.**



## Step 2


Push the male camlock into the entry hole.



## Step 3

Insert the female camlock as shown in the instructions.

**Note: ensure that the arrow on the top of the camlock points towards the entry hole for the male camlock.**




## Step 4

Turn the female camlock clockwise with a screwdriver.


You should feel a click when the camlock is locked in place.

The joint is now secure.



EN

# Assembly Instructions




x2




Email : service@grandtunnel.com

## Step 1

A Ø6*32mm x32

C Ø6*30mm x8







CAM-LOCK
Tighten until shoulder is flush with panel. Do not overtighten or undertighten(see example)

Screw cam bolts (A) into parts (1, 2) using a screwdriver.
Insert wooden dowels (C) into parts (1, 2).

## Step 2

A Ø6*32mm x16






CAM-LOCK
Tighten until shoulder is flush with panel. Do not overtighten or undertighten(see example)


Screw cam bolts (A) into parts (3, 4) using a screwdriver.

EN

## Step 3

B

Ø15*10mm x12





Attach parts (3, 4) to parts (1, 2). Then insert cam locks (B) and tighten to secure.

## Step 4

I

Ø3.5*20mm x24





Attach parts (5, 6, 7) to parts (1, 2). Then insert cam locks (I) and tighten to secure.




Email : service@grandtunnel.com

## Step 5




Screw cam bolts (A) into parts (1, 2) using a screwdriver.
Insert wooden dowels (C) into parts (1, 2).

## Step 6




**Note: The slide rails are stamped with CL, CR, DL, and DR.**

EN


## Step 7

F



Ø3*12mm x16

x2




Attach slide rails (D1.CL, D1.CR) to parts (1, 2) using screws (F).

## Step 8

A




Ø6*32mm x4


C



Ø6*30mm x12

x2



CAM-LOCK
Tighten until shoulder is flush with panel. Do not overtighten or undertighten(see example)

Screw cam bolts (A) into part (11) using a screwdriver.
Insert wooden dowels (C) into parts (11, 14).


Email : service@grandtunnel.com


## Step 9


A

Ø6*32mm x8

C

Ø6*30mm x8




CAM-LOCK
Tighten until shoulder is flush with panel. Do not overtighten or undertighten(see example)


Screw cam bolts (A) into part (13) using a screwdriver.
Insert wooden dowels (C) into part (13).

## Step 10

B

Ø15*10mm x4








Attach part (10) to part (11).
Then insert cam locks (B) and tighten to secure.

EN

## Step 11


Ⅰ Ø3.5*20mm x4





Attach part (11) to part (12).
Then insert cam locks (I) and tighten to secure.

## Step 12

Ⓑ Ø15*10mm x8





Attach parts (10, 14) to part (13).
Then insert cam locks (I) and tighten to secure.


Email : service@grandtunnel.com


## Step 13

B

Ø15*10mm x18




x2





Attach parts (10, 11, 14, 16) to part (1).
Then insert cam locks (B) and tighten to secure.


## Step 14

B

Ø15*10mm x18




x2





Attach parts (10, 11, 14, 16) to part (2).
Then insert cam locks (B) and tighten to secure.

EN

## Step 15


M Protective Feet x12




Insert protective feet (M).

## Step 16

I Ø3.5*20mm x4





Attach parts (3, 4) to part (15).
Then insert cam locks (I) and tighten to secure.


Email : service@grandtunnel.com

## Step 17

C Ø6*30mm x10

x2





Insert wooden dowels (C) into parts (1, 2, 15). Insert component (17).


## Step 18

A Ø6*32mm x8


N Socket x2


O Ø3.5*10mm x4







CAM-LOCK
Tighten until shoulder is flush with panel. Do not overtighten or undertighten(see example)




180°





x2

Screw cam bolts (A) into part (18) using a screwdriver.
Secure component (N) to part (18) using screws (O).


EN

## Step 19




Attach part (18) to parts (1, 2). Then insert cam locks (B) and tighten to secure.

## Step 20





Insert component (L) into parts (3, 4, 12, 15), then secure it with screw (E).


Email : service@grandtunnel.com

## Step 21

E Ø4*12mm x8


G Ø4*30mm x4




Insert part (H) into the back panel.
Refer to the position shown in the manual, then screw part (H) into place.


## Step 22

H Back Panel Stiffener x8






Insert part (H) into the back panel.
Refer to the position shown in the manual, then screw part (H) into place.

## Step 23




Ø6*32mm x16



CAM-LOCK
Tighten until shoulder is flush with panel. Do not overtighten or undertighten(see example)


x4

Screw cam bolts (A) into part (19) using a screwdriver.

## Step 24




Ø4*30mm x16





x4

Attach part (26) to parts (24, 25, 27).
Then insert cam locks (G) and tighten to secure.


Email : service@grandtunnel.com


## Step 25






x4

Insert component (23).

## Step 26





x4

Attach part (19) to parts (20, 21). Then insert cam locks (B) and tighten to secure.

EN

## Step 27

K Handle & Fixing x4





x4

Attach handle (K) to part (23), then tighten screws (K) with a screwdriver.

## Step 28

F Ø3*12mm x16





x4

Install slide rails DL and DR onto parts (20, 21),
then secure them tightly with screws (F).



Email : service@grandtunnel.com

## Step 29


Congratulation! You've made to the last step! But don't be too thrilled yet, put on the drawer can be frustrating if you do it wrong. So, take your time and follow the steps below.





1.Make sure that you have right and left drawers sorted out first, because the drawer panel may cover the side if the right drawer is on the left side, vise versa.





2.Please ensure that you have matched the wheels on BOTH sides of the drawer with the wheels on rails installed BEFORE push in the drawer.






3.If the following occurs, redo the first two steps.



(drawer is on the wrong side)



(both wheels are off the rails)



(one wheel is off the rail)

# Nightstand

SKU:
C000693040
C000693050
C000693060

V1.0