



USE AND CARE MANUAL

LED TABLE LAMP



Hardware (Parts are not to scale)

H1 Cap 1 pc		H2 USB cable 1 pc	
------------------------------	---	------------------------------------	---

THIS MANUAL CONTAINS IMPORTANT SAFETY INFORMATION. PLEASE READ AND KEEP FOR FUTURE REFERENCE.


IMPORTANT SAFETY INFORMATION

- This lamp is for indoor use only. The lamp should not be used near water. Never immerse the lamp in water or other liquids.
- Never cover the lamp with any object including cloth or paper as this is a fire hazard.
- Operating ambient temperature: -20°C ~ 55°C.
- Recharge the lamp when the light output becomes dim to help protect the battery. If the lamp will not be used for an extended period, recharge it periodically.
- Do not overcharge the battery. Unplug the power adapter when the lamp will not be attended for an extended period of time.
- The LED chip has been permanently installed in this lamp. The LED chip does NOT need to be replaced. Do not attempt to remove or replace the LED chip.
- Do not dispose of the product as household waste, and dispose of electronic products in accordance with local laws.
- Do not disassemble this product. Due to differences in USB power adapter standards, some adapters may not be compatible with this product. Use a certified USB power adapter that complies with applicable safety standards (Output: 5Vdc, 1A).

ASSEMBLY

1 Assembling the lamp

- Carefully remove all parts from the box, and lay them out on a smooth surface.
- Place the cap (H1) and the shade (A) onto the fixture body (B), then tighten the shade (A) securely as shown in the diagram.



2 Charging the lamp

- The fixture body (B) is charged via a USB socket.
- The USB cable (H2) must be connected to an adapter (not provided) or other USB port charger, which is then connected to the fixture body (B).
- The charging indicator is red while the lamp is charging. The charging indicator will turn green when charging is complete.

Product Parameters:

Batteries: 2 x 2000 mA rechargeable batteries


Rated Power: 3W

Power input: 5Vdc 1A

Charging time: About 3 hours

Available time: 10 hours (fully charged)

USB cable length: 1.5m



ASSEMBLY


3 Using the lamp

- Please use the touch switch on the top of the base for lamp operation.

Touch switch:

Short press touch: 3000K/4000K/5000K/OFF

Long press: brightness is dimmable



CLEANING

- Do not use any cleaners with chemicals, solvents, or harsh abrasives. Use only a dry, soft cloth to dust or wipe carefully.
- To clean the fixture, pull the plug from the wall outlet. Use a dry or slightly dampened, clean cloth to wipe the exterior surface of the fixture.

TROUBLESHOOTING

- The LED will not turn on:
 - a) The LED has run out of battery, please charge the lamp.
 - b) If the LED fails, discontinue use of the lamp.
 - c) If the battery is damaged, discontinue use of the lamp.