
FTPLCG-0308 FTPLCG-0311 FTPLCG-0314 FTPLCG-0395 FTPLCG-0309 FTPLCG-0312 FTPLCG-0315 FTPLCG-0396 FTPLCG-0310 FTPLCG-0313 FTPLCG-0316 FTPLCG-0397

LHHY-V4



1. Must use ground nails, ropes, and expansions screws for whichever ground you install on for stability to avoid devastating injuries for people inside or nearby and property damage caused by a collapsing gazebo.

2. Do not use this gazebo in high winds, heavy snow, or inclement weather. It is not designed to withstand strong gusts of wind, heavy snow accumulation, or other inclement weather. Must take precautions when the wind speed exceeds 25Mph, and clear snow when it accumulates more than 2 inches.

3. Before use, thoroughly inspect the gazebo to make sure all bolts, nuts, and buckles have been completely tightened and securely fastened.

4. Warranty does not cover damages, losses, or injuries resulting from improper installation, misuse, not using stability accessories mentioned above, non snow cleaning, failure to take precautionary measures, etc.

10X10 FT HARDTOP GAZEBO

1. Two or more people are required for assembly.

2. A ladder and electric drill may be necessary.

3. Do not erect the structure in heavy winds or inclement weather.

4. Do not leave up this unit for extended periods of time, as it is not a permanent structure or designed to withstand sustained wind or rain. It is a temporary, portable shelter that shields you from sunlight and rain. The screens also block flying insects.

5. Do not use candles, matches, or any open flames near the tent.

6. To better align the screws for practical situations, do not fully tighten screws initially.


7.Professional installation is highly recommended.


Item no.	Reference Image	Qty.
A	¶ <u>~~~ 0.0</u>	X4
B		X4
BI		X4
Ea		X4
ED		X4
(1)		X4
GI	×	X4
G3	×	X4
G5	×	X4
G6	>	X4


1

ltem no.	Reference Image	Qty.	Item no.	Reference Image	Qty.
	(5 • • • • • • • • • • • • • • • • • • •	X8	C		X1
•		<u>X</u> 4	M		X1
		X4	W		X4
J		X4	W1	00000	X4
K		X4	W 2	O O	X4
KI		X4	U	Ğ	X96
N	()	X12	Y	Ì	X92
NI	e de la construcción de la const	X4	VI		X2
P		X4	VI		X2
Ū		X4	Ql		X4
		X4	Q2		X4
2		X56	Q 3		X4
		X24	Q		X4


ltem no.	Reference Image	Qty.	ltem no.	Reference Image	Qty.
Q 5		X4	7	0 M6X47mm	X24
Q6		X4	8	(a) M6X15mm	X16
S		X4	9	• 0 0 0 <u></u>)	X12
Sa		X4	10	M5X12mm	X12
1	M6X16mm	X144	11	S4	X1
2	M6X23mm	X56	12	ß	X1
3	M6X25mm	X9	13	S6	X1
4	ST4.8X12mm	X24	14		X12
5	وکی است M6X10mm	X8	15	S5	X1
6	M6X42mm	X4	(16)	Ĩ	X12
		, <u>'</u>	17		X4
			18	1200	X4










When connecting B and B1 via P, make sure that 1 holes on part P (as shown in the picture) should be facing upwards. Do not install it upside down.














































Do not tighten the screw 1 before completing step 18. It's view from the bottom inside gazebo.














It's view from the bottom inside gazebo.

