
ASSEMBLY GUIDE





Important - Please read these instructions fully before starting assembly






SAFETY AND CARE ADVICE

- Check you have all the components and tools listed.
- Remove all fittings from the plastic bags and separate them into their groups.
- We do not recommend the use of power drills/drivers for inserting screws, as this could damage the unit. Only use hand screwdrivers and Allen keys.
- Keep children and animals away from the work area, small parts could cause choking if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Assemble the item as close to its final position (in the same room) as possible.
- Do not overtighten the nuts to avoid causing damage to the threads.

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit
- This product should not be discarded with household waste. Take to your local authority waste disposal centre

IMPORTANT INFORMATIONImportant information</t


PLEASE CHECK CAREFULLY AND MAKE SURE YOU HAVE ALL FITTINGS AND TOOLS LISTED BELOW BEFORE YOU START.




NOTE: The quantities above are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

STEP 1

Use a clear, flat, soft surface to avoid bumps or scratches. Place the table top on the floor with the metal discs facing up. Screw 4 x rods [A] in to the metal discs.



(1)




STEP 2


Place the table legs over the rods on to the metal discs. Use 4 x nuts [B] to secure table legs to table top. Repeat for all 4 table legs. Do not fully tighten yet as you will need some manoeuvrability.

STEP 3

Add feet [C] to bottoms of table legs.

Connect all four legs together in the middle using the connecting piece [H], washers [D] screws [E]. Tighten with Allen key [G]. Once connecting piece [H] is secured, you can then tighten all the table legs to the table top with wrench [F].





STEP 4

Carefully, and with help, turn your completed table over so it's now the correct way up. Ensure stability.

WHAT THE GUARANTEE COVERS



PRE-INSERTED FIXINGS e.g. lose metal threads



EXTERNAL FIXING FAULTS e.g. bonding/glue



FAULTY JOINTS e.g. legs bending



e.g. the frame of the product