











Outdoor Wicker Chaise Lounge








We strived to provide fine furniture products, built with quality materials and hand finished details. Please carefully follow the assembly instructions to ensure your furniture is assembled correctly to provide long lasting enjoyment.

Care: Use a soft, clean cloth that will not scratch the surface when cleaning. The use of solvents is not necessary. Should you choose to use solvents, test in an inconspicuous area first to avoid damaging the finish. To clean, simply use a soft, clean cloth lightly dampened with water.

PART LIST


 Front Panel		 Back Panel		 Right Side Panel	
A	1pc	B	1pc	C	1pc
 Left Side Panel		 Seat Panel		 Backrest Panel	
D	1pc	E	1pc	F	1pc
 Bar		 U Bar		 Cushion	
G	1pc	H	1pc	I	1pc

HARDWARE LIST


 Short Bolt(M6*20mm)		 Long Bolt(M6*45mm)		 Nut(M6mm)		 Flat Washer(M6mm)	
J	6pcs	K	15pcs	L	2pcs	M	23pcs
 Plastic Washer		 Allen Key(M6mm)		 Wrench(M6mm)			
N	4pcs	O	1pc	P	1pc		

Step 1. Lay the Right Side Panel (C) down on a flat surface, and attach the Front Panel (A) to the Right Side Panel(C) using a Long Bolt (K) and Flat Washer (M).


NOTE: Please do not tighten bolts before fully completing all assembly steps.




Step 2. Attach the Seat Panel (E) to the Right Side Panel (C) and the Front Panel (A) using a Long Bolt (K) and Flat washer(M).




Step 3. Attach the Back Panel (B) to the Right Side Panel (C) using a Long Bolt (K) and Flat Washer(M).




Step 4. Attach The Left Side Panel (D) to Front Panel (A), Back Panel (B) and Seat Panel (E) using a Long Bolt (K) and Flat Washer(M).




Step 5. Attach the Bar (G) to the Right Side Panel (C) and Left Side Panel (D) using a Short Bolt (J) and Flat Washer(M).




Step 6. Lay the Backrest Panel (F) down on a flat surface, attach the U Bar (H) to the Backrest Panel (F) using a Short Bolt (J), Flat Washer(M), Plastic Washer (N) and Nut (L).



Step 7. Attach the assembled Backrest Panel (F) to the Right Side Panel (C) and Left Side Panel (D) using a Long Bolt (K), Flat Washer(M) and Plastic Washer(N).



Step 8. Place the Cushion (I) on top of the lounge chair.



Warning: Before using please make sure the position is stuck fully with the bar.

