



Aquifer Refine® | K-21371

Water filtration system with KOHLER® Konnect

Features

- Three-stage filtration system with KOHLER Konnect® voice activation technology lets you know your water usage and filter life
- Reduces over 95% of perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS) in drinking water
- Ultra-filter membrane technology reduces bacteria and virus in the water
- Reduces contaminants such as bacteria, virus, lead, mercury, chlorine, select pharmaceuticals, VOC's and more
- AC-powered operation—no batteries to replace (requires AC power outlet)
- Provides up to 792 gallons, or the equivalent of over 5,800 16.9 fl oz bottles of water (results may vary based on water pressure, temperature and incoming water quality)
- 0.65 gpm (2.46 lpm) maximum flow rate at 60 psi (4.14 bar)
- Filter head automatically turns off water supply when cartridge is removed
- Recommended for use with beverage faucets, such as Wellspring®
- Innovative sensor monitors water usage and displays that information on the KOHLER Konnect® app
- Google, Google Home, and Google Play are trademarks of Google LLC



Codes/Standards

CSA B483.1
NSF Protocol P231
NSF/ANSI 42
NSF/ANSI 401
NSF/ANSI 53

Technical Information

All product dimensions are nominal.

Flow Rate

Faucet Flow Rate: 0.65 gpm (2.5 l/min)

Material

- High-impact plastic construction
-

Technology


- *KOHLER Konnect® app pairs with Amazon Alexa and Google Home
-

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty





Installation

- For cold water use only
- Under-sink
- Quarter-turn twist cartridge for easy installation and replacement
- Three-cartridge system includes two coconut shell-based carbon filters and an ultra-filter

Installation Notes

Install this product according to the installation instructions.

To prevent the risk of property damage, protect from freezing.

For cold water use only.

To ensure the filter continues to reduce contaminants effectively, it is recommended that the filter gets replaced every 6 months.

