

How to Replace the Atomization Core

1. First, unscrew the essential oil bottle and remove the atomization head.
2. Unscrew the screw at the top of the atomization head, open the inside of the atomization head, and pull out the atomization core.
3. Insert the new atomization core (not included) into the atomization head.
4. Finally, tighten the top screw of the atomizer head.



Specification

Material: PP

Process: Injection Molding

Color: Black

Shape: Rectangular

Style: Modern

Mount Type: Wall-Mounted/Tabletop

Operation Mode: Buttons

Display Screen Type: LED

Charging Interface: Type-C

Voltage: DC1.5V/5V

Power: 5W/8W (Type-C Power Supply)

Batter Type: 3 * D-Size Dry Batteries (Not Included)

Adapted Batteries: Dry Batteries, Rechargeable Batteries (Not Included)

Number of Fog Outlets: 1

Available Timing Periods: 5

Battery Life: Approx. 100 Days

Spraying Interval: 90-600s

Working Time: 3/4/5/6/7/8s

Noise: <30dB

Bottle Capacity: 150ml/5.07oz

Coverage Area: 100-300m³/3531.47-10594.4ft³

Product Size: 14.4*6.9*18.2cm/5.67*2.72*7.17in

Package Size: 24*20*8.5cm/9.45*7.87*3.35in

Gross Weight: 0.5kg/1.1lbs

Net Weight: 0.4kg/0.88lbs

Package Included

1 * Portable Scent Machine

1 * Self-Adhesive Backboard

2 * Sealing Rings

2 * Keys

2 * Screws

1 * English Instruction

Application

The coverage area of this product is 3531.47-10594.4ft³, which can be widely used in bathrooms, bedrooms, living rooms, kitchens, gyms, offices, hotels, shops, SPAs, KTVs, shopping malls, lobbies, clubs, and other places.

Notes

1. Please read the operating manual completely before use. And pay particular attention to the safety instructions included.
2. Please do not set a timed time period across 12:00pm, e.g. 23:00 to 1:00.
3. This product requires pure essential oils (not included) and cannot be mixed with oil-water liquids.
4. Please add essential oil (not included) promptly during use to avoid the machine running without essential oil for a long time.
5. Please ensure that the bottle does not contain essential oil during transportation to protect the machine from damage and leakage.
6. Please ensure that the machine is upright, leak-free, and the outlet is facing upwards, otherwise it may damage the equipment and components.
7. Please tighten the oil bottle and bottleneck.
8. Please clean the product with alcohol (not included) every 2 months.
9. Please allow the slight color difference caused by the shooting light and 1-3cm error due to manual measurement, and make sure you do not mind before ordering.