



Purist® | K-T14429-4

Deck- or wall-mount bath faucet handle trim with lever design



Available Colors/Finishes

Color tiles intended for reference only.

CP	Polished Chrome
SN	Vibrant Polished Nickel
AF	Vibrant French Gold
BN	Vibrant Brushed Nickel
BV	Vibrant Brushed Bronze
BL	Matte Black
2MB	Vibrant Brushed Moderne Brass
TT	Vibrant Titanium



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-10-2026 17:11 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651 OBC

ASME A112.18.1/CSA B125.1

ADA

ICC/ANSI A117.1

CSA B651

OBC

Technical Information

All product dimensions are nominal.

Handle

Handle Style/Type: Lever

Material

- Brass
- Brass valve bodies
- KOHLER finishes resist corrosion and tarnishing

Recommended Products/Accessories

K-23723 Faucet cleaner

K-14375 24" Double towel bar

K-14435 18" towel bar

K-14436 24" towel bar

K-14443 Robe hook

K-14377 Pivoting toilet paper holder

K-14441 Towel ring

K-14444 Vertical toilet paper holder

Required Products/Accessories

- K-300-K 1/2" ceramic high-flow valve system

or

- K-300-KR 1/2" ceramic high-flow valve with rigid connections

or

- K-301-K 3/4" ceramic high-flow valve system

or

- K-302-K Widespread 1/2" ceramic in-wall two-handle valve system with 8" centers

Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-10-2026 17:11 - US-CA



Installation

- Bath- or deck-mount

Installation Notes

Install this product according to the installation instructions.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

