


ASSEMBLY INSTRUCTION

Friendly Reminder:

- 1.This sofa is packed in 3 boxes. Please assemble it After all boxes are received.
- 2.As the cushions are all vacuum compressed,there will be some wrinkles. Please give your cushions up to 72 hours to reach its original size and the wrinkles will basically disappear.
- 3.Please do not open the compressed packags until your sofa frame is completely assembled.






Return & Warranty policy:







- We strive to offer the highest quality products,and we also try our best to satisfy each and every customer that orders from us with replacement parts or service as needed.
- If the item is damaged or defective, please take photos as evidence for replacements and refunds.
- Please do not return to store,contact the seller if you have any troubles with this product.

ASSEMBLY INSTRUCTION

HARDWARE








NO	DESCRIPTION	SKETCH	QTY
H1	Washer		22
H2	Screws 8X35		22
H3	Wrench		1

PARTS LIST 1/3 Carton


NO	DESCRIPTION	SKETCH	QTY
A	Seat frame(left)		1
B	Seat frame(middle)		1
C	Seat frame(right)		1
G	Back frame		3
J	Back cushion		2
I	Ottoman seat cushion		1

ASSEMBLY INSTRUCTION

PARTS LIST 2/3 Carton

NO	DESCRIPTION	SKETCH	QTY
D	Ottoman frame(small)		1
E	Armrest (left)		1
F	Armrest (right)		1
J	Back cushion		1
K	Armrest bag(left)		1
L	Armrest bag(right)		1
M	Legs		16

PARTS LIST 3/3 Carton

NO	DESCRIPTION	SKETCH	QTY
H	Seat chshion		3

All parts and hardwares.




DIAGRAM 1(Take out all parts)

- Take the Seat frame(left)(Parts A)Seat frame(right)(Parts C)Seat frame(middle)(Parts B)
Back cushion(Parts J)Back frame(Parts G)Ottoman seat cushion(Parts I) out of the BOX 1.
- Take Armrest (left)(PartsE)Armrest (right)(PartsF)Armrest bag(left)(PartsK)Armrest bag(right)(PartsL)
Back cushion(Parts J)Legs(Parts M)out of the BOX 2.
- Take Seat chshion(Parts H)out of the BOX 3.




DIAGRAM 2 (Assemble the Armrest(right) to the Seat frame (right))

Connect the Armrest(right) (Parts F) to the Seat frame(right) (Parts C) with the Screws M8X35mm (Hardware H2) and the Washer (Hardware H1) by Wrench (Hardware H3).

H1		5PCS
H2		5PCS
H4		1PC




DIAGRAM 3 (Assemble the Armrest(left) to the Seat(left) frame)

Connect the Armrest(left) (Parts E) to the Seat frame(left) (Parts A) with the Screws M8X35mm (Hardware H2) and the Washer (Hardware H1) by Wrench (Hardware H3).

H1		5PCS
H2		5PCS
H3		1PC





DIAGRAM 4 (Assemble the Legs)
Tighten 4 Legs (Parts M) as shown.

M		4PCS
---	--	------





DIAGRAM 5 (Assemble the Legs)
Tighten 4 Legs (Parts M) as shown.

M		4PCS
---	---	------





DIAGRAM 6 (Assemble the Legs)
Tighten 4 Legs (Parts M) as shown.

M		4PCS
---	--	------





DIAGRAM 7 (Assemble the Legs)
Tighten 4 Legs (Parts M) as shown.

M		4PCS
---	---	------




DIAGRAM 8 (Assemble the Back frame)

Connect the Back frame(Parts G) using (4) M8×35mm Screws(Hardware H2) and(4) Washer (Hardware H1) by Wrench(Hardware H3) as shown.Then put pieces together.

Please install the top Screws first, then the bottom Screws.

Make sure all the Screws are in the holes before tightening all the Screws.

H1		4PCS
H2		4PCS
H3		1PC




DIAGRAM 9 (Assemble the Back frame)

Connect the Back frame (Parts G) using (4) M8×35mm Screws(Hardware H2) and(4) Washer (Hardware H1) by Wrench(Hardware H3) as shown.Then put pieces together.

Please install the top Screws first, then the bottom Screws.

Make sure all the Screws are in the holes before tightening all the Screws.

H1		4PCS
H2		4PCS
H3		1PC




DIAGRAM 10 (Assemble the Back frame)

Connect the Back frame(Parts G) using (4) M8×35mm Screws(Hardware H2) and(4) Washer (Hardware H1) by Wrench(Hardware H3) as shown.Then put pieces together.

Please install the top Screws first, then the bottom Screws.

Make sure all the Screws are in the holes before tightening all the Screws.

H1		4PCS
H2		4PCS
H3		1PC




DIAGRAM 11 (Connecting the Seat frame)

Connect the Seat frame(left) (Parts A) & the Seat frame(right) (Parts C) to the Seat frame(middle) (Parts B).





DIAGRAM 12 (Removal of compression bags)

Remove the Seat cushion (Parts H) Ottoman seat cushion(Parts I). .



TIPS:

1. Please do not open the compressed packages until your sofa frame is completely assembled.
2. Compressed Seat cushions need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any small pieces of stuff.

DIAGRAM 13 (Connecting the Armrest bags)

Insert Armrest bag(left)(Parts K) into the Armrest(left)(Parts E) and Insert Armrest bag(right)(Parts L) into Armrest(right)(Parts F)





DIAGRAM 14(Place the Seat cushion,Back cushion and Throw pillow on the sofa)
Tear off the protective cloth,the put the Seat cushion (Parts H) the Ottoman seat cushion (PartsI) the Back cushion(PartsJ) on the sofa.Recheck all the bolts before you sit on the sofa.



TIPS:

1. Please do not open the compress packaging until your sofa frame is completely assembled.
2. Compress Back cushions and Seat cushions need to be fully fulfilled within 72 hours for your perfect use.
3. Please keep children away from plastic bags or any small pieces of stuff.

