

Installing



2023

Our goal is to bring energy, warmth and pleasure into your personal space. It's great to be here.

Safety
instructions 6

Components
and features 7

Assembly
instructions 8

Cleaning and
maintenance 14

Troubleshooting 15

Safety instructions



**We recommend installation
by a licensed electrician.**

Safety instructions

These instructions are provided for your safety. It is very important that they are read completely before beginning the installation of your fixture.

1. Turn off electricity at the main circuit breaker panel before beginning installation.
2. This direct wire fixture must be installed by a certified and licensed electrician. The customer should not attempt to install.
3. This fixture has been rated for up to 13 (G) 5W max 230V E12 base bulbs. To avoid the risk of fire, do not exceed the recommended wattage.
4. If any special control devices are used with this fixture, follow the instructions to assure full compliance with the N.E.C. requirements.
5. This fixture should only be used with a trailing edge dimmer.
6. Mounting hooks and wall anchors are not included. To select the proper type of mounting hook /wall anchor for your wall/ceiling please contact your local hardware store for assistance. If you have any questions, contact a licensed electrical contractor.

Warnings


- Do not mount or unmount the glass globes if the fixture or light bulbs are hot.
- All wires are connected. Do not remove the ceiling light from its packaging by pulling on the power cord, as a bad connection may result.
- Do not use if the light cable/cord is damaged.
- To reduce the risk of fire, electrical shock or personal injury, always turn off the light fixture and allow it and the globes to cool prior to replacing light bulb.
- When mounting the fixture, always use the cotton gloves included.
- Do not touch bulb when fixture is turned on. Do not look directly at lit bulb.
- Keep flammable materials away from lit bulb.

Components and features

FEATURES

- Hand-crafted in brass
- Mouth-blown glass globes

COMPONENTS



- A Top ceiling plate (1x)
- B Bottom ceiling plate (1x)
- C Plate nuts (6x)
- D Globe globes (13x)
- E Globe caps (13x)
- F Mounting tool (1x)
- G 5W LED E12 bulbs (13x)
- H Line holders (12x)
- I Anchors and screws for line holders (12x)

Tools Enclosed:

Pair of cotton gloves

Not Included


(recommended for installation):
Wall anchors
Screw
Electric drill

Assembly instructions



Make sure you cut off power supply at the main fuse box/circuit breaker before commencing any work.

1



Take out the ceiling plate and unscrew the plate nuts [C].


2



Place the mounting tool [F] flush against the ceiling, pull electrical cords through the hole and mark anchor spots. Drill holes in the marked spots and place anchors in. Use the right screws to mount temporarily the mounting tool on the ceiling.


NOTE: Consult your local hardware store for proper anchors.

3




Rotate the arm and it will help you mark line spots. Use a pencil to mark both inner circle and outer circle spots as in the drawings. Shorter slot marks inner circle spots and longer slots mark outer circle spots.

4



The drawing on the left shows you diameter and angles of the line mounting spots.


5



Unscrew the screws and remove the mounting tool. Place the top plate [A] flush against the ceiling, pull electrical cords through the hole and mark second anchor spots. Drill holes in all the marked spots and place anchors in if needed.


NOTE: Consult your local hardware store for proper anchors for top ceiling plate.

6



Pull wires protruding from the ceiling through the ceiling plate and screw the anchor screws in.


7



Carefully lift the fixture up to the ceiling. Don't scratch the globe caps. Make necessary electrical connections.

NOTE: If you are hanging the fixture on a vaulted ceiling, please proceed to Step 21!


8



Junction boxes may vary depending on location. The diagram on the left shows the most common markings and manner of connecting the cords.


NOTE: We recommend installation by a licensed electrician. The fixture includes 3 electrical supply lines to allow controlling which globes are switched on. Each size globes are on a separate line.

9




Screw in the plate nut.

10




Mount the line holders [H] to the ceiling by screwing the included screws for line holders [I]. Use anchors inserted in step 5. Make sure you pull the cord through the middle of the line holder and screw on the line holder nut.

11




To start mounting the glass globes, turn the cap on the selected arm counterclockwise until it stops. Follow steps 11-15 for each arm.

12



Insert the 13 5W LED E12 bulbs.


13



Place the globe opening on one of the clamps and slide it on as far as possible. Repeat the same movement for one more clamp.


NOTE: Included cotton gloves must be worn when handling glass globes.

14



Tilt and slide the globe as in the drawing to hang it on the last clamp.


15



Turn the cap clockwise to secure the globe in position. Repeat for each arm/globe.

16

Restore power and enjoy your lamp.



Cleaning and maintenance



Make sure you cut off power supply to the lamp before commencing cleaning operations.

Components	Maintenance	Tools
Brass Frame	Clean every month using a soft cloth, dampened slightly with water. Make sure the frame is dry before switching the lamp back on.	Soft cloth, water
Glass globes	Clean regularly with a soft dry cloth. Clean only the outside of the globe. If especially dirty, use a wet cloth first. Grease can be removed with a gentle glass cleaner.	Soft cloth, Cotton gloves (!)
Light bulbs	Make sure your power supply is off before changing the bulb. Unscrew the globe where bulb needs replacing. Gently remove the bulb by pulling it out and replace with a LED bulb of the same parameters.	LED bulbs, Cotton gloves (!)

NOTE: Please remember, solid brass may tarnish over time. This is a natural process. Make sure you follow our guidelines to preserve the great look of lighting for years.

Troubleshooting

Problem	Possible Cause	Action
Tarnishing	Oxidation of brass is a natural process. Although it is lacquered, its color may change slightly over time.	No action is necessary apart from regular cleaning. See the Maintenance section.
Globe deformations	Mouth-formed glass globes are beautiful but not perfect. The process leaves a slight deformation at the bottom of the globe.	No action is necessary. All globes undergo a quality check. Should you have any doubts, please send us a photo of the deformed globe and we will act accordingly.

NOTE: Dear client, please be assured our team strives to deliver highest quality products. The handmade nature of the products offers a unique aesthetic experience and allows for small imperfections, which is inherent in crafts. If solutions offered below are not sufficient, please do not hesitate and contact our customer service.

Having trouble?

We're sorry to hear that.

Our enlightened objects are designed for longevity. Each piece is made by hand to ensure the highest possible quality and a unique aesthetic experience. This means you may encounter small surface imperfections. We like to think of them as whispered greetings from our craftspeople. But should you have any concerns about your product and the previous solutions fail to help, please don't hesitate to email us.